

US00D849394S

(12) **United States Design Patent** (10) **Patent No.:** **US D849,394 S**
Kietzmann et al. (45) **Date of Patent:** **** May 28, 2019**

(54) **CONTAINER FOR INJECTION DEVICES**

5/002; A61M 5/008; B65F 1/141; B65F 1/10; B01L 9/06; G01N 2001/005; B65A 83/10; B65D 43/16

(71) Applicant: **Sanofi-Aventis Deutschland GMBH**, Frankfurt am Main (DE)

See application file for complete search history.

(72) Inventors: **Hardy Kietzmann**, Frankfurt am Main (DE); **Fred Luck**, Frankfurt am Main (DE); **Stefan Riebel**, Frankfurt am Main (DE)

(56) **References Cited**

U.S. PATENT DOCUMENTS

(73) Assignee: **Sanofi-Aventis Deutschland GMBH**, Frankfurt am Main (DE)

(**) Term: **15 Years**

(21) Appl. No.: **29/670,717**

(22) Filed: **Nov. 19, 2018**

4,850,484	A *	7/1989	Denman	A61M 5/008
					206/366
4,928,849	A *	5/1990	Khozai	A47F 1/08
					221/45
5,103,997	A *	4/1992	Shillington	B65F 1/141
					206/366
5,154,345	A *	10/1992	Shillington	A61M 5/3205
					206/366
5,190,169	A *	3/1993	Sincock	A61M 5/3213
					206/366
5,277,312	A *	1/1994	Vumbaca	A61M 5/3205
					206/365

(Continued)

Related U.S. Application Data

(62) Division of application No. 29/565,192, filed on May 18, 2016, now Pat. No. Des. 835,901.

Primary Examiner — Cathron C Brooks

Assistant Examiner — W. A. Teddy Falloway

(30) **Foreign Application Priority Data**

Nov. 18, 2015 (EM) 002864397

(51) **LOC (11) Cl.** **03-01**

(52) **U.S. Cl.**
USPC **D3/203.1**

(58) **Field of Classification Search**

USPC D3/20, 201, 203.1, 203.2, 203.3, 273, D3/274, 212; D9/756, 737; D24/131, D24/103, 231; D34/7, 8, 10, 11; D19/102, 106, 685; 206/364-366; 220/254.1, 254.3, 810, 786; 211/70.6; 128/852; 604/356; 232/44, 47
CPC A61B 50/362; A61B 10/0096; A61B 2050/006; A61B 19/0288; A61B 19/10; A61B 2050/0051; A61B 2050/0057; A61B 2050/364; A61M 5/3205; A61M

(74) *Attorney, Agent, or Firm* — Fish & Richardson P.C.


(57) **CLAIM**

The ornamental design for a container for injection devices, substantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a container for injection devices of our new design, including a long hanger; FIG. 2 is a top view of the container of FIG. 1; FIG. 3 is a bottom view of the container of FIG. 1; FIG. 4 is a front view of the container of FIG. 1; FIG. 5 is a back view of the container of FIG. 1; FIG. 6 is a right side view of the container of FIG. 1; and, FIG. 7 is a left side view of the container of FIG. 1.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

5,419,435 A * 5/1995 Perzan B65F 1/141
 206/366
 6,250,465 B1 * 6/2001 Daniels B65F 1/10
 206/366
 6,279,743 B1 * 8/2001 Ballard A61M 5/3213
 128/852
 D451,195 S * 11/2001 Daniels D24/131
 6,361,746 B1 * 3/2002 Wlodarski B01L 7/00
 200/500
 6,409,705 B1 * 6/2002 Kondo A61M 5/3202
 604/192
 7,028,839 B2 * 4/2006 Belloli B65B 21/242
 206/443
 7,104,400 B2 * 9/2006 Kiehne A61M 5/002
 206/366
 D560,489 S * 1/2008 Satnick D3/293
 8,727,162 B2 * 5/2014 Finnestad A61B 50/362
 220/254.1
 D775,463 S * 1/2017 Shieh D3/215
 D804,223 S * 12/2017 Lovelace D6/673
 D807,504 S * 1/2018 Pena D24/131
 10,052,633 B2 * 8/2018 Kantor B01L 9/06
 10,071,846 B2 * 9/2018 Yao B65D 83/0829
 D835,901 S * 12/2018 Kietzmann D3/203.1
 2018/0256812 A1 * 9/2018 Kietzmann A61M 5/002

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7