

US00D849433S

(12) **United States Design Patent**
Whyte

(10) **Patent No.:** **US D849,433 S**

(45) **Date of Patent:** **** May 28, 2019**

- (54) **VEHICLE SEAT**
- (71) Applicant: **Jaguar Land Rover Limited**, Whitley, Coventry (GB)
- (72) Inventor: **Malcolm Whyte**, Coventry (GB)
- (73) Assignee: **Jaguar Land Rover Limited**, Whitley, Coventry (GB)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/670,848**
- (22) Filed: **Nov. 20, 2018**

Related U.S. Application Data

- (62) Division of application No. 29/604,905, filed on May 22, 2017, now Pat. No. Des. 837,551.

(30) **Foreign Application Priority Data**

- Nov. 30, 2016 (EM) 003493154-0001
- Nov. 30, 2016 (EM) 003493154-0002

- (51) **LOC (11) Cl.** **06-01**

- (52) **U.S. Cl.**
USPC **D6/356**

- (58) **Field of Classification Search**
USPC D6/356, 335–338, 357, 360, 367, 716.4, D6/716.1, 349; D12/400, 345, 190, 195
CPC . B60N 2/00; B60N 2/01; B60N 2/012; B60N 2/02; B60N 2/0292; B60N 2/24; B60N 2/32; B60N 2/34; B60N 2/38; B60N 2/42
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D396,152 S * 7/1998 Beermann D6/356
- D509,077 S * 9/2005 Beermann D6/356

- 7,131,697 B2 * 11/2006 Beermann B60N 2/22 297/354.12
- D536,185 S * 2/2007 Ritzel D6/356
- D536,543 S * 2/2007 Hsu D6/356
- D587,025 S * 2/2009 Jurashek D6/356
- D685,586 S * 7/2013 Klein D6/356
- D694,031 S * 11/2013 Ritzel D6/356
- D696,035 S * 12/2013 Hatter D6/356
- D721,895 S * 2/2015 Beermann D6/356
- D723,821 S * 3/2015 Kondou D6/356
- D771,399 S * 11/2016 Buffery D6/356
- 9,573,503 B2 * 2/2017 Nie B60N 2/986
- D804,205 S * 12/2017 Godard D6/356
- D805,313 S * 12/2017 Varga D6/356
- D808,675 S * 1/2018 Fontaeus D6/356
- D822,397 S * 7/2018 Waterhouse D6/356
- D824,184 S * 7/2018 Willis D6/356
- D829,457 S * 10/2018 Iida D6/356

(Continued)

Primary Examiner — Deanna L Pratt

(74) *Attorney, Agent, or Firm* — Wood Herron & Evans LLP



(57) **CLAIM**

The ornamental design for a vehicle seat, as shown and described.

DESCRIPTION

FIG. 1 is a front right perspective view of a seat for a vehicle according to the present invention.
 FIG. 2 is a front left perspective view of the seat shown in FIG. 1.
 FIG. 3 is a rear right perspective view thereof.
 FIG. 4 is a rear left perspective view thereof.
 FIG. 5 is a front view thereof.
 FIG. 6 is a rear view thereof.
 FIG. 7 is a left side view thereof.
 FIG. 8 is a right side view thereof; and,
 FIG. 9 is a top view thereof.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2006/0138830 A1* 6/2006 Liu B60N 2/24
297/284.1
2017/0015218 A1* 1/2017 Troyer B60N 2/062

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6




FIG. 7




FIG. 8




FIG. 9