



US00D849534S

(12) **United States Design Patent** (10) **Patent No.:** **US D849,534 S**  
**Westrick** (45) **Date of Patent:** **\*\* May 28, 2019**

(54) **BOTTLE STOPPER**  
(71) Applicant: **True Fabrications, Inc.**, Seattle, WA (US)  
(72) Inventor: **Amy Jo Westrick**, Seattle, WA (US)  
(73) Assignee: **TRUE FABRICATIONS, INC.**, Seattle, WA (US)  
(\*\*) Term: **15 Years**  
(21) Appl. No.: **29/586,209**  
(22) Filed: **Dec. 1, 2016**  
(51) **LOC (11) Cl.** ..... **09-07**  
(52) **U.S. Cl.**  
USPC ..... **D9/441; D9/609**  
(58) **Field of Classification Search**  
USPC ..... D7/514-517, 519-520, 539, 604, 613, D7/619.2, 623, 628, 392, 392.1; D9/600-601, 607-613, 434, 436, D9/439-441, 444-454; 206/494, 457, 206/459.1, 459.2; 220/890; 215/206, 215/260, 387-400; D11/158-160; D21/611-613  
CPC ..... B65D 67/00; B65D 81/36; B65D 81/365; B65D 81/366; B65D 81/368; B65D 41/00; B65D 41/02; B65D 51/245; A63H 33/16  
See application file for complete search history.

2,543,850 A \* 3/1951 Henricson ..... B65D 81/365 D9/451  
D289,820 S \* 5/1987 Paik ..... D21/611  
D416,479 S \* 11/1999 Indelicato ..... D9/609  
D419,445 S \* 1/2000 Gort-Barten ..... D9/439  
D588,457 S \* 3/2009 McGuinness ..... D9/451  
D650,538 S \* 12/2011 Anderson ..... D21/611  
D671,002 S \* 11/2012 Cameron ..... D9/451  
D726,975 S \* 4/2015 Kim ..... D21/611  
D732,955 S \* 6/2015 Peckels ..... B65D 81/365 D9/440  
D758,856 S \* 6/2016 Huang ..... D9/441  
D759,767 S \* 6/2016 Majure Maysan ..... D21/611  
D798,153 S \* 9/2017 Vivas ..... D9/451


\* cited by examiner  
*Primary Examiner* — Sandra L Morris  
(74) *Attorney, Agent, or Firm* — Vicky Kaur Bajwa

(57) **CLAIM**  
The ornamental design for a bottle stopper, as shown and described.

**DESCRIPTION**  
FIG. 1 is a front elevation view of a bottle stopper showing our new design;  
FIG. 2 is a rear elevation view of the bottle stopper of FIG. 1;  
FIG. 3 is a left side elevation view of the bottle stopper of FIG. 1;  
FIG. 4 is a right side elevation view of the bottle stopper of FIG. 1;  
FIG. 5 is a top view of the bottle stopper of FIG. 1;  
FIG. 6 is a bottom view of the bottle stopper of FIG. 1;  
FIG. 7 is a top perspective view of the bottle stopper of FIG. 1; and,  
FIG. 8 is a bottom perspective view of the bottle stopper of FIG. 1.

(56) **References Cited**  
U.S. PATENT DOCUMENTS  
D69,505 S \* 2/1926 Fields ..... D9/609  
D86,342 S \* 2/1932 Webster ..... D9/609  
D86,651 S \* 3/1932 Webster ..... D9/609

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8