



US00D849571S

(12) **United States Design Patent** (10) **Patent No.:** **US D849,571 S**
Yu (45) **Date of Patent:** **** *May 28, 2019**

(54) **FOLDABLE FOOD TEMPERATURE PROBE WITH PULL-OUT BOTTLE OPENER**

(71) Applicant: **Fuzhou Yishang Youpin Electronic Co. Ltd.**, Jianxin, Changshan, Fuzhou, Fujian (CN)

(72) Inventor: **Guo Yu**, Fuzhou (CN)

(73) Assignee: **Fuzhou Yishang Youpin Electronic Co. Ltd.**, Fuzhou (CN)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **15 Years**

(21) Appl. No.: **29/591,650**

(22) Filed: **Jan. 23, 2017**

(30) **Foreign Application Priority Data**

Oct. 18, 2016 (CN) 2016 3 0508052

(51) **LOC (11) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/57**

(58) **Field of Classification Search**
USPC D10/57
CPC G01K 2207/02; G01K 2207/04; G01K 2207/06; G01K 2207/08
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D795,100 S * 8/2017 Alla D10/57
D799,346 S * 10/2017 Wong D10/57

* cited by examiner

Primary Examiner — Antoine Duval Davis

(74) *Attorney, Agent, or Firm* — JCIPRNET


(57) **CLAIM**

The ornamental design for a foldable food temperature probe with pull-out bottle opener, as shown and described.

DESCRIPTION

FIG. 1 is a top view of an embodiment of a foldable food temperature probe with pull-out bottle opener, without its temperature probe opened and bottle opener pulled out; FIG. 2 is a bottom view of the food temperature probe shown in FIG. 1; FIG. 3 is a front view of the food temperature probe shown in FIG. 1; FIG. 4 is a rear view of the food temperature probe shown in FIG. 1; FIG. 5 is a left side view of the food temperature probe shown in FIG. 1; FIG. 6 is a right side view of the food temperature probe shown in FIG. 1; FIG. 7 is a perspective view of the food temperature probe shown in FIG. 1; FIG. 8 is a top view of an embodiment of a foldable food temperature probe with pull-out bottle opener, with its temperature probe opened and bottle opener pulled out; FIG. 9 is a bottom view of the food temperature probe shown in FIG. 8; FIG. 10 is a front view of the food temperature probe shown in FIG. 8; FIG. 11 is a rear view of the food temperature probe shown in FIG. 8; FIG. 12 is a left side view of the food temperature probe shown in FIG. 8; FIG. 13 is a right side view of the food temperature probe shown in FIG. 8; and, FIG. 14 is a perspective view of the food temperature probe shown in FIG. 8; all arranged in accordance to the one embodiment of the present disclosure.

1 Claim, 4 Drawing Sheets






Figure 1




Figure 2



Figure 3




Figure 4




Figure 5



Figure 6




Figure 7




Figure 8




Figure 9




Figure 10




Figure 11




Figure 12




Figure 13




Figure 14