

US00D849590S

(12) **United States Design Patent** (10) **Patent No.:** **US D849,590 S**
Peterson et al. (45) **Date of Patent:** **** May 28, 2019**

(54) **BEAD FOR USE WITH NUMBERED BRACELET**

(71) Applicants: **Robert Reid Peterson**, Blaine, MN (US); **Andrew Kent Peterson**, Blaine, MN (US)

(72) Inventors: **Robert Reid Peterson**, Blaine, MN (US); **Andrew Kent Peterson**, Blaine, MN (US)

(73) Assignee: **Robert Peterson**, Oceanside, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/606,527**

(22) Filed: **Jun. 5, 2017**

(51) **LOC (11) Cl.** **11-01**

(52) **U.S. Cl.**
USPC **D11/86**

(58) **Field of Classification Search**

USPC D11/1-25, 32, 86, 91, 93, 94

CPC A44C 5/00; A44C 5/0007; A44C 5/14;

A44C 5/142; A44C 5/185; A44C 5/2057;

A44C 5/2071; A44C 5/2076

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,022,397 A * 11/1935 Zeitz A44C 15/004

40/618

5,586,390 A * 12/1996 Barr A44C 5/0092

29/896.4

D552,003 S * 10/2007 Lecut D11/3

D556,081 S * 11/2007 Mouquet D11/87

D630,970 S * 1/2011 McNaughton D11/200

7,905,111 B2 * 3/2011 Saltz A44C 5/0023

604/289

D668,576 S * 10/2012 Outland D11/1

D673,874 S * 1/2013 Long D11/1

D691,913 S * 10/2013 Outland D11/79

D705,695 S * 5/2014 Wall D11/93

D708,544 S * 7/2014 Dossola D11/93

* cited by examiner

Primary Examiner — Zenia I Bennett

(57) **CLAIM**

We claim the ornamental design for a bead for use with numbered bracelet, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a bead for use with numbered bracelet showing our new design;

FIG. 2 is a front view of the bead for use with numbered bracelet of FIG. 1, the rear view being a mirror image thereof;

FIG. 3 is a left-side view of the bead for use with numbered bracelet of FIG. 1, the right-side view being a mirror image thereof;

FIG. 4 is a top view thereof;

FIG. 5 is a bottom view thereof;

FIG. 6 is an exploded top view of the bead for use with numbered bracelet of FIG. 1 being mounted onto a numbered bracelet;

FIG. 7 is a top view of the bead for use with numbered bracelet of FIG. 1 mounted on the numbered bracelet;



FIG. 8 is an exploded front view of the bead for use with numbered bracelet of FIG. 1 being mounted onto a numbered bracelet;

FIG. 9 is a front view of the bead for use with numbered bracelet of FIG. 1 mounted on the numbered bracelet; and,

FIG. 10 is a perspective view of the bead for use with numbered bracelet of FIG. 1 mounted on the numbered bracelet.

The broken line illustrating the numbered bracelet are included for the purpose of illustrating environmental structure only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10