

US00D849606S

(12) **United States Design Patent** (10) **Patent No.:** **US D849,606 S**
Barenbrug et al. (45) **Date of Patent:** **** May 28, 2019**

(54) **STROLLER**

(71) Applicant: **Royalty Bugaboo GmbH**, Zug (CH)

(72) Inventors: **Max Barenbrug**, Amsterdam (NL);
Aernout Mattijs Dijkstra, Amsterdam
(NL); **Cornelis Simon de Jong**,
Amsterdam (NL); **Renze Jan Rispens**,
Amsterdam (NL); **Ludovica Zengiaro**,
Amsterdam (NL)

(73) Assignee: **Royalty Bugaboo GmbH**, Zug (CH)

(**) Term: **15 Years**

(21) Appl. No.: **29/627,098**

(22) Filed: **Nov. 22, 2017**

(51) **LOC (11) Cl.** **12-02**

(52) **U.S. Cl.**
USPC **D12/129**

(58) **Field of Classification Search**

USPC D12/128–133
CPC B62B 7/00–7/04; B62B 9/00–9/28
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D375,707 S * 11/1996 Yang D12/129
D519,422 S * 4/2006 Huang D12/129
7,267,359 B1 * 9/2007 Yang B62B 7/08
280/47.34
7,364,171 B2 * 4/2008 Hu B60B 1/006
280/47.38
D578,044 S * 10/2008 Chen D12/129
D596,996 S * 7/2009 Yang D12/129

(Continued)

Primary Examiner — Charles D Hanson

(74) *Attorney, Agent, or Firm* — Fross Zelnick Lehrman
& Zissu, P.C.; Charles T. J. Weigell, Esq.

(57) **CLAIM**

The ornamental design for a stroller, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a stroller showing my new design, shown in a folded position with handle contracted;

FIG. 2 is a front view thereof;

FIG. 3 is a back view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof;

FIG. 8 is a front perspective view of the stroller shown in FIG. 1, with handle extended;

FIG. 9 is a front view thereof;

FIG. 10 is a back view thereof;

FIG. 11 is a left side view thereof;

FIG. 12 is a right side view thereof;

FIG. 13 is a top view thereof;

FIG. 14 is a bottom view thereof;

FIG. 15 is a front perspective view of the stroller shown in FIG. 1, shown in an unfolded open position with handle extended;

FIG. 16 is a front view thereof;

FIG. 17 is a back view thereof;

FIG. 18 is a left side view thereof;

FIG. 19 is a right side view thereof;

FIG. 20 is a top view thereof;

FIG. 21 is a bottom view thereof;

FIG. 22 is a front perspective view of the stroller shown in FIG. 1, shown in an unfolded open position and with carrycot;

FIG. 23 is a front view thereof;

FIG. 24 is a back view thereof;


FIG. 25 is a left side view thereof;

FIG. 26 is a right side view thereof;

FIG. 27 is a top view thereof; and,

FIG. 28 is a bottom view thereof.

1 Claim, 28 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D621,306 S *	8/2010	Liao	D12/129
D643,343 S *	8/2011	Song	D12/129
D661,624 S *	6/2012	Stopp	D12/129
D672,692 S *	12/2012	Jane Santamaria	D12/129
D677,605 S *	3/2013	Ide	D12/129
D789,838 S *	6/2017	Johar	D12/129
D818,400 S *	5/2018	Barenbrug	D12/133
D835,009 S *	12/2018	Taylor	D12/129
2003/0111825 A1 *	6/2003	Lo	B62B 7/145 280/642
2005/0098982 A1 *	5/2005	Huang	B62B 7/08 280/642

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5





FIG. 6






FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13






FIG. 15




FIG. 16




FIG. 17



FIG. 18



FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28