



US00D850306S

(12) **United States Design Patent**
Bainter et al.

(10) **Patent No.:** **US D850,306 S**
(45) **Date of Patent:** **** Jun. 4, 2019**

(54) **LASER RANGE FINDER WITH WIND SENSOR**

(71) Applicant: **Bushnell Inc.**, Overland Park, KS (US)

(72) Inventors: **Benjamin E. Bainter**, Olathe, KS (US);
Scott O. Nyhart, Shawnee, KS (US)

(73) Assignee: **Bushnell Inc.**, Overland Park, KS (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/637,468**

(22) Filed: **Feb. 19, 2018**

Related U.S. Application Data

(62) Division of application No. 29/585,093, filed on Nov. 21, 2016, now Pat. No. Des. 823,147.

(51) **LOC (11) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/74**

(58) **Field of Classification Search**

USPC D10/70, 74; D16/130
CPC ... G01C 3/00; G01C 3/02; G01C 3/04; G01C 3/06; G01C 3/08; G01C 3/085; G01C 3/10; G01C 3/12; G01C 3/16; G01C 3/18; G01C 3/20; G01C 3/22; G01C 3/24; G01C 3/26; G01C 3/28; G01C 3/30; G01C 3/32; G01S 7/4811; G01S 7/4813; G01S 7/4814; G01S 7/4816; G01S 7/486; G01S 7/4861; G01S 7/4863; G02B 23/00; G02B 23/14; G02B 23/16; F41G 1/00; F41G 1/46; F41G 1/473; F41G 3/06; F41G 3/065

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D376,377 S * 12/1996 Palmer D16/130
D448,315 S * 9/2001 Ito D10/70

7,053,992 B2 * 5/2006 LaBelle G01C 3/08
356/5.01
D554,547 S * 11/2007 Lin D10/70
D570,234 S * 6/2008 Hui D10/70
D579,805 S * 11/2008 Chen D10/70
7,508,497 B2 * 3/2009 LaBelle G01C 3/08
356/5.01
D611,848 S * 3/2010 Liu D10/70
7,738,082 B1 * 6/2010 Peters G01C 3/22
356/4.01
D823,147 S * 7/2018 Bainter D10/70

* cited by examiner

Primary Examiner — Antoine Duval Davis

(74) *Attorney, Agent, or Firm* — Seyfarth Shaw LLP;
Brian Michaelis

(57) **CLAIM**



The ornamental design for a laser range finder with wind sensor, as shown and described.

DESCRIPTION

FIG. 1 is a right side perspective view of a laser range finder with wind sensor embodying our design;
FIG. 2 is a left side perspective view of the laser range finder with wind sensor of FIG. 1;
FIG. 3 is a right side elevational view of the laser range finder with wind sensor of FIGS. 1 and 2;
FIG. 4 is a left side elevational view of the laser range finder with wind sensor of FIGS. 1-3;
FIG. 5 is a top plan view of the laser range finder with wind sensor of FIGS. 1-4;
FIG. 6 is a bottom plan view of the laser range finder with wind sensor of FIGS. 1-5;
FIG. 7 is a front end view of the laser range finder with wind sensor of FIGS. 1-6; and,
FIG. 8 is a rear end view of the laser range finder with wind sensor of FIGS. 1-7.

The broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.




Fig. 5.




Fig. 6.




Fig. 7.




Fig. 8.