



US00D850455S

(12) **United States Design Patent**
Cheng

(10) **Patent No.:** **US D850,455 S**
(45) **Date of Patent:** **** Jun. 4, 2019**

(54) **CASE WITH 360° ROTATING RING STAND**

(71) Applicant: **Fintie LLC**, Hilliard, OH (US)

(72) Inventor: **Nai Chu Cheng**, Hilliard, OH (US)

(73) Assignee: **FINTIE LLC**, Hilliard, OH (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/635,499**

(22) Filed: **Jan. 31, 2018**

(51) **LOC (11) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/440**

(58) **Field of Classification Search**
USPC D14/440, 250, 447; 206/45.23, 320,
206/45.2; 361/679.55; 294/25; 224/218
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D611,253 S 3/2010 Lown et al.
D645,251 S 9/2011 Lee

(Continued)

Primary Examiner — Cynthia R Underwood
(74) *Attorney, Agent, or Firm* — Standley Law Group
LLP

(57) **CLAIM**


The ornamental design for a case with 360° rotating ring stand, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a case with 360° rotating ring stand shown in a closed configuration;
FIG. 2 is a front elevation view of the FIG. 1 device in a first closed configuration;
FIG. 3 is a rear elevation view of the FIG. 1 device in the first closed configuration;

FIG. 4 is a right-side elevation view of the FIG. 1 device in the first closed configuration;
FIG. 5 is a left-side elevation view of the FIG. 1 device in the first closed configuration;
FIG. 6 is a top plan view of the FIG. 1 device in the first closed configuration;
FIG. 7 is a bottom plan view of the FIG. 1 device in the first closed configuration;
FIG. 8 is a rear perspective view of the FIG. 1 device in the first closed configuration;
FIG. 9 is a bottom plan view of the FIG. 1 device shown in a first open position;
FIG. 10 is a top plan view of the FIG. 1 device in a second open position;
FIG. 11 is a right-side elevation view of the FIG. 1 device shown in a third open configuration;
FIG. 12 is a right-side elevation view of the FIG. 1 device shown in a fourth open configuration;
FIG. 13 is a rear perspective view of the FIG. 1 device shown in a second closed configuration;
FIG. 14 is a rear perspective view of the FIG. 1 device shown in a third closed configuration;
FIG. 15 is a rear perspective view of the FIG. 1 device shown in a fourth closed configuration;
FIG. 16 is a rear perspective view of the FIG. 1 device shown in a fifth open configuration;
FIG. 17 is a rear perspective view of the FIG. 1 device shown in a sixth open configuration;
FIG. 18 is a rear perspective view of the FIG. 1 device shown in a seventh open configuration;
FIG. 19 is a rear perspective view of the FIG. 1 device shown in an eighth open configuration;
FIG. 20 is a rear perspective view of the FIG. 1 device shown in a ninth open configuration;
FIG. 21 is a rear perspective view of the FIG. 1 device shown in a tenth open configuration;
FIG. 22 is a rear perspective view of the FIG. 1 device shown in an eleventh open configuration; and,
FIG. 23 is a rear perspective view of the FIG. 1 device shown in a twelfth open configuration.
The broken lines represent environment that forms no part of the claim.

1 Claim, 21 Drawing Sheets



(58) **Field of Classification Search**
 CPC ... G06F 1/1628; G06F 1/1626; A47B 23/044;
 H04B 1/3888
 See application file for complete search history.

(56) **References Cited**
 U.S. PATENT DOCUMENTS

D668,661 S 10/2012 Norfolk
 D672,353 S 12/2012 Liu
 D676,448 S 2/2013 Gorman et al.
 D681,951 S 5/2013 Phillips et al.
 D689,056 S 9/2013 Li
 D690,704 S 10/2013 Padilla et al.
 D691,144 S 10/2013 Peters et al.
 D694,246 S 11/2013 Park et al.
 D696,864 S 1/2014 Phillips et al.
 D703,672 S 4/2014 Kim et al.
 D709,509 S 7/2014 Kim
 D711,886 S * 8/2014 Kerawala D14/440
 D712,412 S 9/2014 Bleau et al.

D715,052 S 10/2014 Fair
 D727,917 S 4/2015 Yeo
 D729,252 S 5/2015 Smith et al.
 D743,170 S 11/2015 Akana et al.
 D749,069 S * 2/2016 Senoff D14/251
 D749,083 S * 2/2016 Senoff D14/451
 D752,052 S 3/2016 Park
 D765,662 S * 9/2016 Kang D14/251
 D784,350 S 4/2017 Li
 D795,264 S * 8/2017 Wright D14/439
 D803,222 S 11/2017 Cheng
 D819,603 S * 6/2018 Pearce D14/217
 D829,722 S * 10/2018 Kim D14/447
 10,117,505 B1 * 11/2018 Alvarez A45F 5/10
 2010/0230301 A1 9/2010 Fellig
 2011/0284599 A1 * 11/2011 Sternick A45F 5/00
 224/191
 2012/0075799 A1 * 3/2012 Pollex F16M 11/041
 361/679.56
 2012/0194448 A1 8/2012 Rothkopf

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23