



US00D850556S

(12) **United States Design Patent**  
**Dumonceaux**

(10) **Patent No.:** **US D850,556 S**

(45) **Date of Patent:** **\*\* Jun. 4, 2019**

(54) **INFANT SAFETY FLOTATION DEVICE**

(71) Applicant: **Gary W. Dumonceaux**, Rochester, IL  
(US)

(72) Inventor: **Gary W. Dumonceaux**, Rochester, IL  
(US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/587,389**

(22) Filed: **Dec. 13, 2016**

(51) **LOC (11) Cl.** ..... **21-02**

(52) **U.S. Cl.**  
USPC ..... **D21/803**

(58) **Field of Classification Search**  
USPC ..... D21/542, 544, 547, 646, 760, 761, 762,  
D21/764, 769, 770, 771, 778, 792, 801,  
D21/803, 804, 805, 806, 807, 808, 810;  
D12/301, 302, 303, 306, 310, 311, 312,  
D12/313, 314, 316  
CPC ..... A41D 13/0518; A63B 2208/03; A63B  
2225/605; A63B 31/00; A63B 31/10;  
A63B 69/14; A63B 31/11; B63B 21/66;  
B63C 11/02  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D22,121 S *	1/1893	Varnum	.....	D6/604
D35,654 S *	2/1902	Meinecke	.....	D6/604
D118,169 S *	12/1939	Prince	.....	D12/316
D203,363 S *	12/1965	Crawford	.....	D12/316
3,324,488 A *	6/1967	Schulz, Jr.	.....	B63B 7/087 114/346
4,798,551 A *	1/1989	Dumonceaux	.....	A47C 15/006 441/130
4,926,781 A *	5/1990	Bauer	.....	B63B 35/74 114/283
D315,592 S *	3/1991	Tager	.....	D21/803
D316,586 S *	4/1991	Tager	.....	D21/803

5,058,522 A *	10/1991	Bauer	.....	B63B 35/74 114/283
D329,077 S *	9/1992	Burkhalter	.....	D21/803
5,311,100 A *	5/1994	Brain	.....	B63C 9/20 315/129

(Continued)

*Primary Examiner* — Khawaja Anwar

*Assistant Examiner* — Mojtabe Tehrani

(74) *Attorney, Agent, or Firm* — Hinshaw & Culbertson  
LLP

(57) **CLAIM**



The ornamental designs for an infant safety flotation device,  
as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the first embodiment of an  
infant safety flotation device, showing my new design;  
FIG. 2 is a right side view thereof;  
FIG. 3 is a left side view thereof;  
FIG. 4 is a front elevation view thereof;  
FIG. 5 is a rear elevation view thereof;  
FIG. 6 is a top plan view thereof;  
FIG. 7 is a bottom plan view thereof;  
FIG. 8 is a perspective view of the second embodiment of an  
infant safety flotation device, showing my new design;  
FIG. 9 is a right side view thereof;  
FIG. 10 is a left side view thereof;  
FIG. 11 is a front elevation view thereof;  
FIG. 12 is a rear elevation view thereof;  
FIG. 13 is a top plan view thereof; and,  
FIG. 14 is a bottom plan view thereof.

The broken lines around the FIGS. show portions of the  
infant safety flotation device, which form no part of the  
claimed design. The bold broken interior lines show shad-  
ing. The broken lines within the FIGS. show portions of the  
infant safety flotation device, which form no part of the  
claimed design.

**1 Claim, 8 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

5,409,411 A \* 4/1995 Schrieber ..... B63C 9/06  
441/129  
5,672,082 A \* 9/1997 Binder ..... B63C 11/49  
441/135  
6,589,089 B1 \* 7/2003 Glass ..... A47C 15/006  
297/250.1  
D499,785 S \* 12/2004 Klimenko ..... D21/803  
D503,765 S \* 4/2005 Klimenko ..... D21/803  
D511,555 S \* 11/2005 Kracke ..... D21/801  
7,927,164 B2 \* 4/2011 Kuchler ..... B63C 11/49  
114/66  
7,987,531 B2 \* 8/2011 West ..... E04H 4/0012  
4/541.3  
D775,294 S \* 12/2016 Robinson ..... D21/803  
D807,459 S \* 1/2018 Robinson ..... D21/803  
D821,522 S \* 6/2018 Robinson ..... D21/803  
D828,473 S \* 9/2018 Kasper ..... D21/803

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10






FIG. 11




FIG. 12




FIG. 13




FIG. 14