



US00D850608S

(12) **United States Design Patent**
Garcia

(10) **Patent No.:** **US D850,608 S**

(45) **Date of Patent:** **** Jun. 4, 2019**

- (54) **HEAT MOISTURE EXCHANGER**
- (71) Applicant: **Atos Medical AB**, Horby (SE)
- (72) Inventor: **Maria Rojas Garcia**, Horby (SE)
- (73) Assignee: **Atos Medical AB** (SE)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/637,875**
- (22) Filed: **Feb. 22, 2018**
- (30) **Foreign Application Priority Data**
 - Aug. 23, 2017 (EM) 004160687-0001
- (51) **LOC (11) Cl.** **23-04**
- (52) **U.S. Cl.**
 - USPC **D23/386**
- (58) **Field of Classification Search**
 - USPC D23/386, 393, 388, 205, 323, 336, 399;
138/38; 165/80.5, 177, DIG. 52,
165/DIG. 407, DIG. 408, DIG. 426;
D24/129, 130; 128/205.29, 201.13,
128/204.17, 207.14
 - CPC A61M 16/1045; A61M 16/047; A61M
16/1055; A61M 16/0434; A62B 9/003
 - See application file for complete search history.

- D268,613 S * 4/1983 Beacham D23/369
- D268,614 S * 4/1983 von Philipp D23/369
- 4,382,548 A * 5/1983 van der Heijden A61L 9/12
220/282
- D269,699 S * 7/1983 May D23/366
- D270,468 S * 9/1983 Hoyt D23/369
- 4,630,775 A * 12/1986 Mandon A01M 1/2044
239/56
- D289,919 S * 5/1987 O'Neil, Jr. D23/366
- D289,920 S * 5/1987 O'Neil, Jr. D23/366
- D323,554 S * 1/1992 Hoyt D23/369
- D332,987 S * 2/1993 Der-Jinn D22/120
- D334,975 S * 4/1993 Bunce D23/366
- 5,435,817 A * 7/1995 Davis B01D 46/0095
55/337
- D364,676 S * 11/1995 Chiu D23/356
- D373,626 S * 9/1996 Dente D23/366
- D432,223 S * 10/2000 King D23/366
- D433,091 S * 10/2000 Carey D22/122
- D464,130 S * 10/2002 Denham D23/366
- D491,257 S * 6/2004 Picken, Jr. D23/366
- D492,279 S * 6/2004 Lee D14/188

(Continued)

Primary Examiner — David G Muller
Assistant Examiner — Nathan M Johnston
(74) *Attorney, Agent, or Firm* — Fishman Stewart PLLC

(57) **CLAIM**


The ornamental design for a heat moisture exchanger, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a heat moisture exchanger showing my new design;
FIG. 2 is a front/rear elevation view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof; and,
FIG. 5 is a left/right elevation view thereof.
The broken lines show portions of the design that form no part of the claimed design.

1 Claim, 5 Drawing Sheets

- (56) **References Cited**
 - U.S. PATENT DOCUMENTS
 - 2,642,310 A * 6/1953 Meek A61L 9/12
131/231
 - 3,286,872 A * 11/1966 Burdick, Jr. A01M 1/10
220/351
 - D246,316 S * 11/1977 Hadtke D23/369
 - D255,047 S * 5/1980 Muller D23/369
 - D268,361 S * 3/1983 von Philipp D23/369
 - D268,520 S * 4/1983 LeCaire, Jr. D23/369



(56)

References Cited

U.S. PATENT DOCUMENTS

7,108,731	B2 *	9/2006	Park	A47L 7/04
					55/356
D565,715	S *	4/2008	Wu	D23/366
D583,037	S *	12/2008	Kenny	D23/366
7,749,294	B2 *	7/2010	Oh	A47L 5/28
					15/319
D700,692	S *	3/2014	Engelhardt	D23/360
D726,895	S *	4/2015	Takatsuka	D23/369
D751,683	S *	3/2016	Furner	D23/368
D753,279	S *	4/2016	Li	D23/366
D755,750	S *	5/2016	Chen	D14/172
D795,408	S *	8/2017	Lin	D23/366
D813,366	S *	3/2018	Tang	D23/366
D819,796	S *	6/2018	Shin	D23/351
D828,529	S *	9/2018	Hu	D23/364
D830,530	S *	10/2018	Webster	D23/366

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5