



US00D850774S

(12) **United States Design Patent** (10) **Patent No.:** **US D850,774 S**  
**Hoane et al.** (45) **Date of Patent:** **\*\* Jun. 11, 2019**

(54) **INSOLE**  
(71) Applicant: **STABLE STEP LLC**, Wadsworth, OH (US)  
(72) Inventors: **Jennifer Hoane**, Medina, OH (US); **T. Scott Jump**, Brunswick, OH (US)

D456,983 S \* 5/2002 Stubbs ..... D2/961  
D555,341 S \* 11/2007 Vasyli ..... D2/961  
D620,693 S \* 8/2010 Bobbett ..... D2/961  
D797,429 S \* 9/2017 Granger ..... D2/961  
D833,726 S \* 11/2018 Dai ..... D2/961  
10,136,698 B2 \* 11/2018 Granger ..... A43B 7/142  
2003/0150134 A1 \* 8/2003 Hardt ..... A43B 7/143  
36/44

(73) Assignee: **STABLE STEP LLC**, Wadsworth, OH (US)

\* cited by examiner

(\*\*) Term: **15 Years**

*Primary Examiner* — Elizabeth J Oswecki

(21) Appl. No.: **29/633,559**

(74) *Attorney, Agent, or Firm* — Renner, Kenner, Greive, Bobak, Taylor & Weber

(22) Filed: **Jan. 15, 2018**

(51) **LOC (11) Cl.** ..... **02-04**

(57) **CLAIM**

(52) **U.S. Cl.**  
USPC ..... **D2/961**

The ornamental design for an insole, as shown and described.

(58) **Field of Classification Search**

**DESCRIPTION**

USPC ..... D2/953, 957, 958, 959, 960, 968, 946, D2/947, 951, 955, 961, 976; 36/83, 88, 36/91, 92, 93, 94, 95, 96, 97, 98, 136, 36/25 R, 36 R, 43, 44, 71  
CPC ..... A43B 7/14; A43B 7/1405; A43B 7/141; A43B 7/1415; A43B 7/142; A43B 7/1425; A43B 7/143; A43B 7/144; A43B 7/1445; A43B 7/146; A43B 7/1465; A43B 7/1475; A43B 7/148; A43B 7/1485; A43B 7/149; A43B 7/1495; A43B 7/16; A43B 7/18; A43B 7/19; A43B 7/22; A43B 7/223; A43B 1/226; A43B 7/28; A43B 7/30; A43B 7/32; A43B 7/34; A43B 7/36; A43B 7/38; A43B 13/383; A43B 13/386; A43B 13/39; A43B 13/40; A43B 13/42; A43B 17/14

FIG. 1 is a top, front, left side perspective view of an insole for the right foot showing our new design;  
FIG. 2 is a bottom, rear, left side perspective view thereof;  
FIG. 3 is a top plan view thereof;  
FIG. 4 is a bottom plan view thereof;  
FIG. 5 is a right side elevational view thereof;  
FIG. 6 is a left side elevational view thereof;  
FIG. 7 is a front side elevational view thereof;  
FIG. 8 is a rear side elevational view thereof;  
FIG. 9 is a cross sectional view taken along line 9-9 of FIG. 4; and,  
FIG. 10 is a cross sectional view taken along line 10-10 of FIG. 4.

See application file for complete search history.

The design for a left foot insole would be the mirror image of these FIGS. 1-10.


The broken lines are for environmental purposes and form no part of the claimed design.

(56) **References Cited**

**1 Claim, 5 Drawing Sheets**

**U.S. PATENT DOCUMENTS**

D347,315 S \* 5/1994 Sell, Jr. .... D2/961  
D396,948 S \* 8/1998 Moore ..... D2/961






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10