



US00D850986S

(12) **United States Design Patent**
Mascull

(10) **Patent No.:** **US D850,986 S**
(45) **Date of Patent:** **** Jun. 11, 2019**

(54) **SET OF CONTOURING UNITS FOR POSTURAL SUPPORT**

(71) Applicant: **Roger Thomas Mascull**, Ashburton (NZ)

(72) Inventor: **Roger Thomas Mascull**, Ashburton (NZ)

(73) Assignees: **Roger Thomas Mascull**, Rolleston (NZ), as Trustees of the RT and EJ Mascull Family Trust; **Elizabeth Mascull**, Rolleston (NZ), as Trustees of the RT and EJ Mascull Family Trust

(**) Term: **15 Years**

(21) Appl. No.: **29/597,262**

(22) Filed: **Mar. 15, 2017**

(30) **Foreign Application Priority Data**

Sep. 16, 2016 (NZ) 422084

(51) **LOC (11) Cl.** **12-12**

(52) **U.S. Cl.**
USPC **D12/133**

(58) **Field of Classification Search**
USPC D12/128-133
CPC . A61G 5/00-5/14; A61G 15/00; A47C 27/10;
A47C 27/15; A47C 27/20
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 3,720,966 A * 3/1973 Zysman A47C 7/20
297/DIG. 2
- 4,484,778 A 11/1984 Cousins et al.
- 5,101,811 A 4/1992 Brunswick
- D435,305 S * 12/2000 Pullen D25/164
- 7,120,956 B1 * 10/2006 Liao A47C 23/002
5/719

- 7,740,015 B2 * 6/2010 Hyde A61F 5/05
128/845
- 7,865,989 B2 * 1/2011 Steppat A47C 27/144
5/719
- 8,099,812 B2 * 1/2012 Steppat A47C 27/144
5/655.9
- 8,307,481 B2 * 11/2012 Katan A61G 7/0573
5/709

(Continued)

OTHER PUBLICATIONS

International Search Report from International Application No. PCT/NZ2016/050155 dated Nov. 29, 2016 (6 pages).

Primary Examiner — Charles D Hanson

(74) *Attorney, Agent, or Firm* — Merchant & Gould P.C.


(57) **CLAIM**

The ornamental design for set of contouring units for postural support, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a single unit of a first embodiment showing my design thereof;
 FIG. 2 is a rear view of a single unit of FIG. 1;
 FIG. 3 is a left side view of a single unit of FIG. 1;
 FIG. 4 is a right side view of a single unit of FIG. 1;
 FIG. 5 is a top view of a single unit of a FIG. 1;
 FIG. 6 is a bottom view of a single unit of FIG. 1;
 FIG. 7 is a perspective view of a single unit of FIG. 1;
 FIG. 8 is a front view of a set of units of a second embodiment showing my design thereof;
 FIG. 9 rear view of a single unit of FIG. 8;
 FIG. 10 is a left side view of a single unit of FIG. 8;
 FIG. 11 is a right side view of a single unit of FIG. 8;
 FIG. 12 is a top view of a single unit of a FIG. 8;
 FIG. 13 is a bottom view of a single unit of FIG. 8; and,
 FIG. 14 is a perspective view of a single unit of FIG. 8 thereof.

1 Claim, 14 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

8,584,286 B2 * 11/2013 Call A47C 7/021
5/654
D724,863 S * 3/2015 Secker D6/601
2009/0265857 A1 * 10/2009 Habegger A61G 7/05715
5/709
2012/0131752 A1 5/2012 Mason

* cited by examiner




FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4



FIGURE 5



FIGURE 6




FIGURE 7




FIGURE 8




FIGURE 9



FIGURE 10



FIGURE 11




FIGURE 12




FIGURE 13




FIGURE 14