US00D851087S

# (12) United States Design Patent

Nishizawa

(10) Patent No.: US D851,087 S
(45) Date of Patent: ** Jun. 11, 2019

(54) **COORDINATE INPUT INSTRUMENT**

(71) Applicant: **Wacom Co., Ltd.**, Kazo-shi, Saitama (JP)

(72) Inventor: **Naoya Nishizawa**, Setagaya-ku (JP)

(73) Assignee: **Wacom Co., Ltd.**, Kazo-shi (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/638,672**

(22) Filed: **Feb. 28, 2018**

(30) **Foreign Application Priority Data**

Aug. 29, 2017 (JP) ..... 2017-018472

(51) **LOC (11) Cl.** ..... **14-02**

(52) **U.S. Cl.**
USPC ..... **D14/411**

(58) **Field of Classification Search**
USPC ..... D14/411, 432; 351/158, 153, 144; 345/7–9, 905; 455/344; 348/115, 53, 348/121, 739
CPC ..... G02B 27/017; G06F 3/016; G06F 3/0317; G06F 3/041; G06F 3/03545; G06F 3/03546; G06F 3/03547; G06F 3/03548; G06F 3/03549; G06F 3/033; G06F 3/0338; G06F 3/0346; G06F 3/03542; G06K 9/222; G01D 13/22; G01D 13/24; G01D 13/26; G01D 13/265; G01D 13/28
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D712,410 S 9/2014 Shu
D771,630 S 11/2016 Akana et al.
(Continued)

FOREIGN PATENT DOCUMENTS

JP D1563169 S 11/2016

*Primary Examiner* — Antoine Duval Davis
(74) *Attorney, Agent, or Firm* — Christensen O'Connor Johnson Kindness PLLC

(57) **CLAIM**

The ornamental design for a coordinate input instrument, as shown and described.

**DESCRIPTION**

FIG. **1** is a top-front-right perspective view of a representative embodiment of a coordinate input instrument according to my new design;
FIG. **2** is a bottom-rear-left perspective view thereof;
FIG. **3** is a bottom plan view thereof;
FIG. **4** is a top plan view thereof;
FIG. **5** is a right side elevational view thereof, wherein the left side elevational view is a mirror image of the right side elevational view;
FIG. **6** is a front elevational view thereof;
FIG. **7** is a rear elevational view thereof;
FIG. **8** is a partial top-front-right perspective view thereof, as indicated in by the view indicator shown in FIG. **1**;
FIG. **9** is a top-front-right perspective view thereof, with a cap removed;
FIG. **10** is a bottom-rear-left perspective view thereof;
FIG. **11** is a bottom plan view thereof;
FIG. **12** is a top plan view thereof;
FIG. **13** is a right side elevational view thereof, wherein the left side elevational view is a mirror image of the right side elevational view;
FIG. **14** is a front elevational view thereof; and,
FIG. **15** is a view indicated by the view indicators shown in FIG. **13**.
The dashed broken lines in the drawings show portions of the coordinate input instrument that form no part of the claimed design. The dot-dot-dash broken lines in the drawings indicate from where the enlarged views are taken and form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**



(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|---|---|---|---|---|---|
| D786,253 | S | | 5/2017 | Akana et al. | |
| D826,940 | S | * | 8/2018 | Nishizawa | D14/411 |
| D832,840 | S | * | 11/2018 | Shi | D14/411 |

* cited by examiner



FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7



FIG. 8



FIG. 9



FIG. 10



FIG. 11



FIG. 12




FIG. 13



FIG. 15



FIG. 14