



US00D851222S

(12) **United States Design Patent** (10) **Patent No.:** **US D851,222 S**
Naber (45) **Date of Patent:** **** Jun. 11, 2019**

(54) **PIPE FITTING**

(71) Applicant: **Naber Holding GmbH & Co. KG**,
Nordhorn (DE)

(72) Inventor: **Joachim Naber**, Nordhorn (DE)

(73) Assignee: **Naber Holding GmbH & Co. KG**
(DE)

(**) Term: **15 Years**

(21) Appl. No.: **29/639,553**

(22) Filed: **Mar. 7, 2018**

(30) **Foreign Application Priority Data**

Sep. 14, 2017 (EP) 004353555

(51) **LOC (11) Cl.** **23-01**

(52) **U.S. Cl.**
USPC **D23/259; D23/393**

(58) **Field of Classification Search**

USPC D23/259, 262–263, 265–266, 267,
D23/393–394; D24/129; 285/132.1,
285/133.11, 179, 179.1, 179.2, 125.1, 23,
285/122.1, 123.15, 123.16, 124.1, 124.5,
285/136.1, 226, 183, 397, 423–424;
D25/121–125; 454/241, 243, 261–265,
454/267–268, 359, 903; 138/37–44, 109,
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,096,887 A * 6/1978 Streit F16L 9/18
138/115
4,667,702 A * 5/1987 Roth F16L 9/22
138/162

(Continued)

Primary Examiner — Eric L Goodman

Assistant Examiner — Amy C Wierenga

(74) *Attorney, Agent, or Firm* — Polsinelli PC

(57) **CLAIM**

The ornamental design for a pipe fitting, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of the pipe fitting;

FIG. 2 is a front view of the first embodiment of the pipe fitting;

FIG. 3 is a rear view of the first embodiment of the pipe fitting;

FIG. 4 is a right side view of the first embodiment of the pipe fitting;

FIG. 5 is a left side view of the first embodiment of the pipe fitting;

FIG. 6 is a top view of the first embodiment of the pipe fitting;

FIG. 7 is a bottom view of the first embodiment of the pipe fitting;

FIG. 8 is a perspective view of a second embodiment of the pipe fitting;

FIG. 9 is a front view of the second embodiment of the pipe fitting;

FIG. 10 is a rear view of the second embodiment of the pipe fitting;

FIG. 11 is a right side view of the second embodiment of the pipe fitting;



FIG. 12 is a left side view of the second embodiment of the pipe fitting;

FIG. 13 is a top view of the second embodiment of the pipe fitting; and,

FIG. 14 is a bottom view of the second embodiment of the pipe fitting.

The broken lines showing in the figures are included for the purpose of illustrating portions of the pipe fitting that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(58) **Field of Classification Search**

USPC 138/111, 115–117, 121, 156, 162–163,
138/166–168, 173; 52/220.3, 220.8, 16;
D32/25
CPC F16L 43/001; F16L 43/002; F16L 43/008;
F16L 21/005; F16L 21/002; F16L 21/08;
F16L 21/06; F16L 21/04; F16L 9/22;
F16L 9/16; F16L 9/003; F16L 37/0985;
F16L 55/07; F16L 43/00; F16L 27/11;
F16L 55/027; F16L 5/00; F16K 15/03;
F16K 43/001; F16K 43/003

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,223,777 B1 * 5/2001 Smith E04D 13/0645
138/109
D566,063 S * 4/2008 Kanao D13/199

7,886,774 B1 * 2/2011 Popp F16L 25/0045
138/118
D657,041 S * 4/2012 Bull D23/393
8,201,369 B2 * 6/2012 Coughlin F16L 5/00
285/179
D666,701 S * 9/2012 Smith D23/269
8,689,837 B1 * 4/2014 Smith E04D 13/08
137/615
D724,704 S * 3/2015 Douglass, III D23/266
D787,649 S * 5/2017 Douglass, III D23/261
2008/0229673 A1 * 9/2008 Lamorte E04D 13/08
52/12
2009/0000682 A1 * 1/2009 Kisu F16L 3/26
138/121
2010/0031527 A1 * 2/2010 Robinson D06F 58/20
34/235
2011/0247619 A1 * 10/2011 Formica A61M 16/0875
128/204.18
2018/0328617 A1 * 11/2018 Naber F16L 9/16

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7





FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14