



US00D851241S

(12) **United States Design Patent**
Agami et al.

(10) **Patent No.:** **US D851,241 S**
(45) **Date of Patent:** **** *Jun. 11, 2019**

(54) **ABSORBENT ARTICLE WITH A PATTERN**

(71) Applicant: **The Procter & Gamble Company**,
Cincinnati, OH (US)

(72) Inventors: **Sion Agami**, Mason, OH (US); **Vanessa Marie Melendez**, Cincinnati, OH (US);
Monica R. Tournoux, Columbus, OH (US); **Corinne Rowley**, Columbus, OH (US)

(73) Assignee: **The Procter & Gamble Company**,
Cincinnati, OH (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **15 Years**

(21) Appl. No.: **29/587,699**

(22) Filed: **Dec. 15, 2016**

(51) **LOC (11) Cl.** **24-04**

(52) **U.S. Cl.**
USPC **D24/126**

(58) **Field of Classification Search**
USPC D2/700, 701; D24/124-126; 604/347,
604/348, 354, 358-361, 378, 385.01,
604/385.201, 385.22, 385.24, 385.25
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D432,236 S * 10/2000 Dutcher D24/124
D452,946 S * 1/2002 Kim D2/700
(Continued)

Primary Examiner — Thomas J Johannes

Assistant Examiner — Samantha Q Lawrence

(74) *Attorney, Agent, or Firm* — William E. Gallagher;
Dara M. Kendall

(57) **CLAIM**

The ornamental design for an absorbent article with a pattern, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of an absorbent article with a pattern;
FIG. 2 is a front view of the embodiment of an absorbent article with a pattern shown in FIG. 1;
FIG. 3 is a rear view of the embodiment of an absorbent article with a pattern shown in FIG. 1;
FIG. 4 is a right side view of the embodiment of an absorbent article with a pattern shown in FIG. 1;
FIG. 5 is a left side view of the embodiment of an absorbent article with a pattern shown in FIG. 1;
FIG. 6 is a top view of the embodiment of an absorbent article with a pattern shown in FIG. 1;
FIG. 7 is a bottom view of the embodiment of an absorbent article with a pattern shown in FIG. 1;
FIG. 8 is a perspective view of a second embodiment of an absorbent article with a pattern;
FIG. 9 is a front view of the embodiment of an absorbent article with a pattern shown in FIG. 8;
FIG. 10 is a rear view of the embodiment of an absorbent article with a pattern shown in FIG. 8;
FIG. 11 is a right side view of the embodiment of an absorbent article with a pattern shown in FIG. 8;
FIG. 12 is a left side view of the embodiment of an absorbent article with a pattern shown in FIG. 8;
FIG. 13 is a top view of the embodiment of an absorbent article with a pattern shown in FIG. 8;
FIG. 14 is a bottom view of the embodiment of an absorbent article with a pattern shown in FIG. 8;
FIG. 15 is a perspective view of a third embodiment of an absorbent article with a pattern;
FIG. 16 is a front view of the embodiment of an absorbent article with a pattern shown in FIG. 15;
FIG. 17 is a rear view of the embodiment of an absorbent article with a pattern shown in FIG. 15;
FIG. 18 is a right side view of the embodiment of an absorbent article with a pattern shown in FIG. 15;

(Continued)



FIG. 19 is a left side view of the embodiment of an absorbent article with a pattern shown in FIG. 15;
 FIG. 20 is a top view of the embodiment of an absorbent article with a pattern shown in FIG. 15; and
 FIG. 21 is a bottom view of the embodiment of an absorbent article with a pattern shown in FIG. 15.
 FIG. 22 is a perspective view of a fourth embodiment of an absorbent article with a pattern;
 FIG. 23 is a front view of the embodiment of an absorbent article with a pattern shown in FIG. 22;
 FIG. 24 is a rear view of the embodiment of an absorbent article with a pattern shown in FIG. 22;
 FIG. 25 is a right side view of the embodiment of an absorbent article with a pattern shown in FIG. 22;
 FIG. 26 is a left side view of the embodiment of an absorbent article with a pattern shown in FIG. 22;
 FIG. 27 is a top view of the embodiment of an absorbent article with a pattern shown in FIG. 22; and,
 FIG. 28 is a bottom view of the embodiment of an absorbent article with a pattern shown in FIG. 22.
 The broken lines shown in the drawings illustrate portions of the absorbent article with a pattern that form no part of the claimed design.

1 Claim, 20 Drawing Sheets

(58) **Field of Classification Search**

CPC A61F 13/15; A61F 13/64; A61F 13/476;
 A61F 13/5611; A61F 13/4704; A61F
 13/535; A61F 13/539; A61F 13/47; A61F
 13/531

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D453,259	S *	2/2002	Kim	D2/700
D479,989	S *	9/2003	Drumm	D24/126
9,101,513	B2 *	8/2015	Takahashi	A61F 13/49466
9,278,032	B2 *	3/2016	Morimoto	A61F 13/5622
D756,509	S *	5/2016	Hedbratt	D24/126
D760,892	S *	7/2016	Hedbratt	D24/126
D782,157	S *	3/2017	Shoemaker	A41B 9/008
				D2/712
9,610,203	B2 *	4/2017	Wade	A61F 13/49014
2001/0053898	A1 *	12/2001	Olson	A61F 13/42
				604/361
2006/0173436	A1 *	8/2006	Krautkramer	A61F 13/49011
				604/393
2013/0306225	A1 *	11/2013	Wade	A61F 13/15601
				156/163

* cited by examiner



Fig. 1




Fig. 2




Fig. 3




Fig. 5




Fig. 4




Fig. 6




Fig. 7



Fig. 8




Fig. 9




Fig. 10




Fig. 12




Fig. 11




Fig. 13




Fig. 14



Fig. 15




Fig. 16




Fig. 17




Fig. 19




Fig. 18




Fig. 20




Fig. 21



Fig. 22




Fig. 23




Fig. 24




Fig. 26




Fig. 25




Fig. 27




Fig. 28