



US00D851344S

(12) **United States Design Patent**  
**Carlson et al.**

(10) **Patent No.:** **US D851,344 S**  
(45) **Date of Patent:** **\*\* \*Jun. 11, 2019**

(54) **THREE-LAYERED SCOURING PAD**

D509,935 S \* 9/2005 Burt ..... D28/63  
7,815,617 B2 \* 10/2010 Dircks ..... B32B 7/12  
604/332  
7,892,630 B1 \* 2/2011 McKnight ..... B32B 3/10  
428/114  
D650,539 S \* 12/2011 Caprarola ..... D32/40  
D659,320 S \* 5/2012 Davis ..... D32/40  
D685,552 S \* 7/2013 Myers ..... D32/40

(71) Applicant: **3M INNOVATIVE PROPERTIES COMPANY**, St. Paul, MN (US)

(72) Inventors: **Lauren K. Carlson**, St. Paul, MN (US); **Matthew W. Gorrell**, South St. Paul, MN (US); **Robert J. Maki**, Hudson, WI (US); **Byron E. Trotter**, St. Paul, MN (US)

(Continued)

**FOREIGN PATENT DOCUMENTS**

(73) Assignee: **3M INNOVATIVE PROPERTIES COMPANY**, Saint Paul, MN (US)

CN 304115833 \* 4/2017  
CN 304115834 \* 4/2017

(Continued)

(\*) Notice: This patent is subject to a terminal disclaimer.

**OTHER PUBLICATIONS**

(\*\*) Term: **15 Years**

Scotch Brite™ Dual Purpose Scour Pad, reviews 2017, [https://www.webstaurantstore.com/3m-96hex-5-3-4-x-5-scotch-brite-dual-purpose-scour-p . . .](https://www.webstaurantstore.com/3m-96hex-5-3-4-x-5-scotch-brite-dual-purpose-scour-p...) site visited Oct. 4, 2017.\*

(21) Appl. No.: **29/597,238**

(Continued)

(22) Filed: **Mar. 15, 2017**

(51) **LOC (11) Cl.** ..... **07-05**

(52) **U.S. Cl.**  
USPC ..... **D32/40**

*Primary Examiner* — John Windmuller

*Assistant Examiner* — John R Yeh

(74) *Attorney, Agent, or Firm* — Daniel J. Iden

(58) **Field of Classification Search**  
USPC ..... D32/40, 43, 50–52, 35  
CPC ..... A47L 13/282; A47L 13/10; A47L 13/16;  
A47L 13/20; A47L 13/256; B66B 31/00  
See application file for complete search history.

(57) **CLAIM**

The ornamental design for a three-layered scouring pad, as shown and described.

(56) **References Cited**


**DESCRIPTION**

**U.S. PATENT DOCUMENTS**

3,021,649 A \* 2/1962 Robbins ..... B24D 15/04  
15/118  
3,169,264 A \* 2/1965 Walker ..... A47K 7/02  
112/441  
D426,690 S \* 6/2000 Sakai ..... D32/43  
D429,861 S \* 8/2000 Denney ..... D32/40  
D497,092 S \* 10/2004 McCarthy ..... D32/40  
D505,528 S \* 5/2005 Burt ..... D28/63  
D506,587 S \* 6/2005 Armaly, Jr. .... A47L 13/16  
D28/63

FIG. 1 is a perspective view of a three-layered scouring pad showing the new design.  
FIG. 2 is a top view thereof.  
FIG. 3 is a bottom view thereof.  
FIG. 4 is a front view thereof, the rear view being a mirror image of the front view shown; and,  
FIG. 5 is a right side view thereof, the left side view being a mirror image of the left side view shown.

**1 Claim, 2 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D699,908 S \* 2/2014 Fang ..... D32/40  
D708,805 S \* 7/2014 Mehdizadeh ..... D32/40  
D719,711 S \* 12/2014 Mozeika, III ..... D32/40  
D773,828 S \* 12/2016 Brenner ..... D32/40  
D774,265 S \* 12/2016 Staude ..... D32/40  
D797,390 S \* 9/2017 Kawasaki ..... D32/43  
2003/0186029 A1 \* 10/2003 Ogawa ..... B29C 70/025  
428/158  
2005/0013957 A1 \* 1/2005 Leschinsky ..... B32B 7/06  
428/40.1  
2007/0271719 A1 11/2007 Schindler  
2012/0171409 A1 \* 7/2012 Todt ..... B32B 33/00  
428/90  
2016/0369507 A1 \* 12/2016 Pervan ..... E04C 2/26


FOREIGN PATENT DOCUMENTS

FR 2956968 9/2011  
TW D185372 7/2016


OTHER PUBLICATIONS

3M KR application No. 30-2017-0043072, entitled "Three-Layered Scouring Pad".  
Yamada Bee Farm, Internet Information, 4 pages.


\* cited by examiner




*FIG. 1*




*FIG. 2*



*FIG. 3*



*FIG. 4*



*FIG. 5*