



US00D851514S

(12) **United States Design Patent**
Herron et al.

(10) **Patent No.:** **US D851,514 S**
(45) **Date of Patent:** **** Jun. 18, 2019**

- (54) **VEHICLE DIAGNOSTIC DEVICE**
- (71) Applicant: **Drew Technologies, Inc.**, Ann Arbor, MI (US)
- (72) Inventors: **Brian J. Herron**, Dexter, MI (US);
Michael L. Drew, Dexter, MI (US);
Bert Steck, Ann Arbor, MI (US);
David Baartman, Canton, MI (US)
- (73) Assignee: **Drew Technologies, Inc.**, Ann Arbor, MI (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/653,716**
- (22) Filed: **Jun. 18, 2018**

Related U.S. Application Data

- (62) Division of application No. 29/600,447, filed on Apr. 12, 2017, now Pat. No. Des. 834,972.
- (51) **LOC (11) Cl.** **10-04**
- (52) **U.S. Cl.**
USPC **D10/75**
- (58) **Field of Classification Search**
USPC D10/75, 76, 78
CPC G01D 5/00; G06F 1/166; G06F 1/1656;
G06F 1/1626; G06F 1/1609; G06F 1/637;
G06F 3/03547; G06F 3/04842; G06F
3/04817; G06F 21/00; G06F 17/00;
G01M 17/00; G01M 17/007; G01M
15/05; F17D 1/08; G01R 31/007; G01R
31/3648; G01R 31/3693; G01R 31/3627;
G01R 31/31907; G01R 31/319; G01R
31/28; F02P 17/08; G07C 2205/02; G07C
5/00; G07C 5/002; G07C 5/004; G07C
5/006; G07C 5/008; G07C 5/02; G07C
5/04; G07C 5/06; G07C 5/08; G07C
5/0808; G07C 5/0816; G07C
(Continued)

- (56) **References Cited**
U.S. PATENT DOCUMENTS
7,786,851 B2 8/2010 Drew et al.
7,928,837 B2 4/2011 Drew et al.
(Continued)

- OTHER PUBLICATIONS**
Commonly assigned co-pending U.S. Appl. No. 15/446,744, filed Mar. 1, 2017, entitled Remote Diagnostic System and Method.
(Continued)



Primary Examiner — Antoine Duval Davis
(74) *Attorney, Agent, or Firm* — Gardner, Linn, Burkhardt & Ondersma LLP

- (57) **CLAIM**
The ornamental design for the vehicle diagnostic device, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the vehicle diagnostic device;
FIG. 2 is a top plan view of the vehicle diagnostic device of FIG. 1;
FIG. 3 is a front elevation view of the vehicle diagnostic device of FIG. 1;
FIG. 4 is a left side elevation view of the vehicle diagnostic device of FIG. 1;
FIG. 5 is a right side elevation view of the vehicle diagnostic device of FIG. 1;
FIG. 6 is rear elevation view of the vehicle diagnostic device of FIG. 1;
FIG. 7 is a bottom plan view of the vehicle diagnostic device of FIG. 1; and,
FIG. 8 is a front perspective view of the vehicle diagnostic device of FIG. 1 shown in an open orientation.
The broken lines in the Figures show structure for illustrative purposes only and forms no part of the claimed design.

1 Claim, 6 Drawing Sheets



(58) **Field of Classification Search**
CPC .. 5/0825; G07C 5/0833; G07C 5/0841; G07C
5/085; G07C 5/0858; G07C 5/0866;
G07C 5/0875; G07C 5/0883; G07C
5/0891

See application file for complete search history.

2014/0121894 A1 5/2014 Drew et al.
2014/0121937 A1 5/2014 Drew et al.
2014/0172230 A1 6/2014 Drew et al.
2014/0297099 A1 10/2014 Drew et al.
2014/0309905 A1 10/2014 Drew et al.
2017/0172397 A1 6/2017 Zardini

(56) **References Cited**

U.S. PATENT DOCUMENTS

8,339,254 B2 12/2012 Drew et al.
D675,568 S 2/2013 Drew et al.
8,638,207 B2 1/2014 Drew et al.
D701,832 S 4/2014 Drew et al.
D718,201 S 11/2014 Drew et al.
D725,519 S 3/2015 Drew et al.
D820,127 S * 6/2018 Kreitzer D10/76
2011/0153150 A1 6/2011 Drew et al.
2014/0086242 A1 3/2014 Drew et al.

OTHER PUBLICATIONS

Commonly assigned co-pending U.S. Appl. No. 15/651,351, filed Jul. 17, 2017, entitled Vehicle Diagnostic and Programming Device and Method.

Commonly assigned co-pending U.S. Appl. No. 15/485,531, filed Apr. 12, 2017, entitled Vehicle Programming and Diagnostic Device With Integrated Battery Charger.

Commonly assigned co-pending U.S. Appl. No. 15/485,643, filed Apr. 12, 2017, entitled Battery Charger With Projecting Members.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8