



US00D851544S

(12) **United States Design Patent** (10) **Patent No.:** **US D851,544 S**
Stickles (45) **Date of Patent:** **** Jun. 18, 2019**

(54) **TOW HOOK STEP COMBINATION**

(71) Applicant: **Bestop, Inc.**, Louisville, CO (US)

(72) Inventor: **George C. Stickles**, Thornton, CO (US)

(73) Assignee: **Bestop, Inc.**, Louisville, CO (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/568,768**

(22) Filed: **Jun. 21, 2016**

(51) **LOC (11) Cl.** **12-16**

(52) **U.S. Cl.**

USPC **D12/162**

(58) **Field of Classification Search**

USPC D12/159, 160, 162, 163, 167, 169, 172,
D12/400, 401, 402, 403, 404, 405, 406,
D12/407, 408, 409, 410, 411, 412, 413,
D12/414, 414.1, 420; D8/14, 21, 305,
D8/17, 27, 29, 26, 71, 107, 382, 387,
D8/395, 343

CPC ... B60D 1/07; B60D 1/46; B60D 1/58; B60D
1/065; B60D 1/60; B60D 1/00; B60D
1/605; B60D 1/52; B60D 1/06; B60D
1/465; B60D 1/04; B60D 1/62; A61G
3/0209; B60P 1/4414; B60P 1/4464;
B66F 7/24

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,780,394 B1 * 8/2010 Becker B60P 1/4414
224/509
D633,417 S * 3/2011 Najarro D12/162
D641,668 S * 7/2011 Exarhos D12/162
D661,177 S * 6/2012 Kobayashi D8/356

8,327,979 B2 * 12/2012 Lynch B66F 7/24
187/212

D682,750 S * 5/2013 Smith D12/162

D688,169 S * 8/2013 Terpsma D12/162

D688,170 S * 8/2013 Woolever D12/162

D697,839 S * 1/2014 Le D12/162

8,678,737 B2 * 3/2014 DiGiovanni A61G 3/06
414/462

D744,382 S * 12/2015 Woller D12/162

(Continued)

Primary Examiner — Susan E Krakower

Assistant Examiner — Jerry Shiuan-Hua Hsu

(74) *Attorney, Agent, or Firm* — Warn Partners, P.C.

(57) **CLAIM**

The ornamental design for a tow hook step combination, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tow hook step combination, in accordance with the present invention;

FIG. 2 is a right side elevation view of the tow hook step combination, in accordance with the present invention;

FIG. 3 is a top plan view of the tow hook step combination, in accordance with the present invention;


FIG. 4 is a left side elevation view of the tow hook step combination, in accordance with the present invention;

FIG. 5 is a front elevation view of the tow hook step combination, in accordance with the present invention; and,

FIG. 6 is a bottom plan view of the tow hook step combination, in accordance with the present invention.

The broken lines depicting the axle, the circled letter B and the interior partitions on the bottom of the step plate illustrate portions of the article that form no part of the claimed design. The broken line structure illustrating the tow hook mount depicts environment that is not included in the claim.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2003/0165376	A1 *	9/2003	Bruno	A61G 3/0209 414/462
2014/0023470	A1 *	1/2014	Soklaski	B60P 1/4464 414/539

* cited by examiner




FIG - 1




FIG - 2




FIG - 3




FIG - 4




FIG - 5




FIG - 6