



US00D851684S

(12) **United States Design Patent** (10) **Patent No.:** **US D851,684 S**
Oesch et al. (45) **Date of Patent:** **** Jun. 18, 2019**

(54) **PLENUM TRANSPORT RETAINER CLIP WITH LOCKING FINGER**

4,914,800 A 4/1990 Cook
5,227,719 A * 7/1993 Peterson G01P 3/443
310/168
D344,449 S * 2/1994 Ward D8/395
5,560,687 A * 10/1996 Hagelthorn B60B 27/001
301/105.1
D391,145 S * 2/1998 Costa D8/367
7,108,428 B2 9/2006 Ason et al.

(71) Applicant: **Eaton Corporation**, Cleveland, OH (US)

(72) Inventors: **Jeffrey A. Oesch**, Marshall, MI (US);
Matthew G. Fox, Ceresco, MI (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/632,450**

(22) Filed: **Jan. 8, 2018**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/605,865, filed on May 31, 2017, which is a continuation-in-part of application No. 29/569,799, filed on Jun. 30, 2016, now Pat. No. Des. 791,839, which is a continuation-in-part of application No. 29/558,113, filed on Mar. 15, 2016.

(51) **LOC (11) Cl.** **15-01**

(52) **U.S. Cl.**
USPC **D15/5**

(58) **Field of Classification Search**
USPC D15/1-6, 9, 7, 148, 149; D8/105, 107, D8/349, 354, 356, 394, 395, 396; D12/51, 223; D6/580; D9/456, 434
CPC F16H 48/00; F16H 48/38; F16H 2048/382; F16H 48/40; F16H 2048/387; F16H 48/22; F16H 48/08; F16H 48/32; F16H 2007/0855; F16H 48/16; F16H 2048/426
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

599,255 A * 2/1898 Robinson B23B 31/101
269/272
4,407,050 A * 10/1983 Offterdinger B21D 53/00
24/277

Primary Examiner — T Chase Nelson

Assistant Examiner — Ania Aman

(74) *Attorney, Agent, or Firm* — RMCK Law Group PLC

(Continued)

(57) **CLAIM**

The ornamental design for a plenum transport retainer clip with locking finger, as shown and described.

DESCRIPTION

FIG. 1 is a first perspective view of a plenum transport retaining clip with locking finger showing our new design. FIG. 2 is a second perspective view of the plenum transport retainer clip with locking finger of FIG. 1.

FIG. 3 is a first end view of the plenum transport retainer clip with locking finger of FIG. 1.

FIG. 4 is a second end view of the plenum transport retainer clip with locking finger of FIG. 1.

FIG. 5 is a first side view of the plenum transport retainer clip with locking finger of FIG. 1.


FIG. 6 is a second side view of the plenum transport retainer clip with locking finger of FIG. 1.

FIG. 7 is third side view of the plenum transport retainer clip with locking finger of FIG. 1; and,

FIG. 8 is fourth side view of the plenum transport retainer clip with locking finger of FIG. 1.

The broken line showing portions of the plenum transport retainer clip with locking finger form no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

7,175,560 B2 * 2/2007 Petruska F16C 25/08
384/557
7,794,153 B2 9/2010 Szczepanski et al.
D625,183 S * 10/2010 Bartsch D9/434
8,534,925 B1 * 9/2013 Stambek F16C 35/067
384/583
9,303,687 B1 * 4/2016 Wiseman F16C 35/07
D755,621 S * 5/2016 Madara D23/262
D756,212 S * 5/2016 Wilk, Jr. D23/262
D770,872 S * 11/2016 Gledhill D8/17
2007/0111841 A1 5/2007 Smith
2010/0093482 A1 * 4/2010 Allmendinger B60K 17/354
475/234

* cited by examiner




FIG - 1




FIG - 2




FIG - 3




FIG - 4




FIG - 5




FIG - 6




FIG - 7




FIG - 8