



US00D851766S

(12) **United States Design Patent**
Reardon

(10) **Patent No.:** **US D851,766 S**
(45) **Date of Patent:** **** Jun. 18, 2019**

(54) **CYLINDRICAL THREE-STEP FILTER**
(71) Applicant: **Apacor Limited**, Wokingham (GB)
(72) Inventor: **Paul Reardon**, Hersham (GB)
(73) Assignee: **Apacor Limited**, Wokingham (GB)
(**) Term: **15 Years**
(21) Appl. No.: **29/600,688**
(22) Filed: **Apr. 14, 2017**

4,945,918 A * 8/1990 Abernathy A61B 5/0836
128/202.13
D475,461 S * 6/2003 Takagi D24/162
8,012,094 B2 * 9/2011 Prager A61B 8/4281
600/459
D693,467 S * 11/2013 Doucette D24/162
8,609,033 B2 * 12/2013 Hooper C01B 13/11
204/176
D748,256 S * 1/2016 Wagner D24/140
D760,902 S * 7/2016 Persson D24/162
D814,637 S * 4/2018 Lohrenz D24/158
D815,285 S * 4/2018 Lohrenz D24/158
D827,807 S * 9/2018 Ng D24/110

(Continued)

(30) **Foreign Application Priority Data**

Apr. 11, 2017 (EP) 003852714-0001

(51) **LOC (11) Cl.** **24-01**

(52) **U.S. Cl.**
USPC **D24/162**

(58) **Field of Classification Search**
USPC D24/162, 110, 185, 158, 140; D23/200
CPC .. G01N 33/523; A61B 5/0836; A61B 8/4281;
H01J 5/32; F02G 5/02; B01L 3/5085;
A61M 6/0465; C01B 13/11
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,951,569 A * 3/1934 Vestvold H01J 5/32
313/112
2,581,331 A * 1/1952 Ryan A61M 5/162
210/117
2,894,265 A * 7/1959 Reardon F02G 5/02
126/19.5
D284,034 S * 5/1986 Grime D24/162
D288,480 S * 2/1987 Vcelka D24/162
4,817,598 A * 4/1989 LaBombard A61M 16/0465
128/207.14
4,829,005 A * 5/1989 Friedman B01D 61/18
210/321.84
D310,123 S * 8/1990 Carlson D23/200

FOREIGN PATENT DOCUMENTS

GB 2 321 857 5/2000

Primary Examiner — Rhea Shields

(74) *Attorney, Agent, or Firm* — Walters & Wasylyna
LLC


(57) **CLAIM**

The ornamental design for a cylindrical three-step filter, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a cylindrical three-step filter in accordance with the present design;
FIG. 2 is a front view of the cylindrical three-step filter of FIG. 1;
FIG. 3 is a rear view of the cylindrical three-step filter of FIG. 1;
FIG. 4 is a bottom view of the cylindrical three-step filter of FIG. 1;
FIG. 5 is a top view of the cylindrical three-step filter of FIG. 1;
FIG. 6 is a left side view of the cylindrical three-step filter of FIG. 1; and,
FIG. 7 is a right side view of the cylindrical three-step filter of FIG. 1.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2002/0182748 A1* 12/2002 Reardon G01N 33/523
436/514
2006/0292654 A1* 12/2006 Reardon B01L 3/5085
435/15

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7