



US00D851790S

(12) **United States Design Patent**
Reiherzer et al.

(10) **Patent No.:** **US D851,790 S**
(45) **Date of Patent:** **** Jun. 18, 2019**

(54) **LIGHT EMITTING DEVICE**

(71) Applicant: **Cree, Inc.**, Durham, NC (US)

(72) Inventors: **Jesse Colin Reiherzer**, Raleigh, NC (US); **Colin Kelly Blakely**, Franklinton, NC (US); **Samuel Richard Harrell, Jr.**, Cary, NC (US); **Erin R. F. Welch**, Ann Arbor, MI (US); **Roshan Murthy**, Raleigh, NC (US)

(73) Assignee: **Cree, Inc.**, Durham, NC (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/616,841**

(22) Filed: **Sep. 8, 2017**

(51) **LOC (11) Cl.** **26-02**

(52) **U.S. Cl.**
USPC **D26/24**

(58) **Field of Classification Search**
USPC D26/24

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D646,002 S * 9/2011 Wang D26/24
D646,003 S * 9/2011 Wang D26/24

(Continued)

Primary Examiner — Brian N. Vinson

(74) *Attorney, Agent, or Firm* — Jenkins, Wilson, Taylor & Hunt, P.A.

(57) **CLAIM**

The ornamental design for a light emitting device, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, and right perspective view of a light emitting device showing the design;




FIG. 2 is a front elevation view thereof, the rear elevation view being identical;

FIG. 3 is a right side elevation view thereof, the left elevation view being identical;

FIG. 4 is a top view thereof;

FIG. 5 is a bottom view thereof;

FIG. 6 is a top, front, and right perspective view of a further embodiment of a light emitting device showing the design, the elevation views being identical to FIGS. 2 and 3, respectively;

FIG. 7 is a top view thereof;

FIG. 8 is a bottom view thereof;

FIG. 9 is a top, front, and right perspective view of a further embodiment of a light emitting device showing the design, the elevation views being identical to FIGS. 2 and 3, respectively;

FIG. 10 is a top view thereof;

FIG. 11 is a bottom view thereof;

FIG. 12 is a top, front, and right perspective view of a further embodiment of a light emitting device showing the design; FIG. 13 is a front elevation view thereof, the rear elevation view being identical;

FIG. 14 is a right side elevation view thereof, the left elevation view being identical;

FIG. 15 is a top view thereof;

FIG. 16 is a bottom view thereof;

FIG. 17 is a top, front, and right perspective view of a further embodiment of a light emitting device showing the design; FIG. 18 is a front elevation view thereof, the rear elevation view being identical;

FIG. 19 is a right side elevation view thereof, the left elevation view being identical;

FIG. 20 is a top view thereof; and,

FIG. 21 is a bottom view thereof.

The dashed broken lines are for illustrative purpose only and form no part of the claimed design.

1 Claim, 8 Drawing Sheets

(58) **Field of Classification Search**

CPC F21V 15/01; F21V 19/008; F21V 15/015;
F21V 21/088; F21W 2131/308

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D690,839 S * 10/2013 Wang D26/24
D690,847 S * 10/2013 Wang D26/24
D777,122 S 1/2017 Bergmann et al.

* cited by examiner




FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21