



US00D851796S

(12) **United States Design Patent** (10) **Patent No.:** **US D851,796 S**
Quinn et al. (45) **Date of Patent:** **** Jun. 18, 2019**

(54) **LANTERN WITH EXTENDABLE ARM**

(71) Applicant: **Industrial Revolution, Inc.**, Tukwila, WA (US)

(72) Inventors: **Colin Quinn**, Seattle, WA (US); **Peter Pontano**, Seattle, WA (US); **Jami Odell**, Seattle, WA (US)

(73) Assignee: **Industrial Revolution, Inc.**, Tukwila, WA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/570,878**

(22) Filed: **Jul. 12, 2016**

(51) **LOC (11) Cl.** **26-02**

(52) **U.S. Cl.**
USPC **D26/40; D26/41**

(58) **Field of Classification Search**
USPC D26/37, 40, 41, 38, 51; D7/509, 510, D7/598

CPC F21L 2003/00; F21L 4/00; F21L 4/005; F21L 4/02; F21L 4/025; F21L 4/027; F21L 4/04; F21L 4/08; F21L 2005/00; F21L 7/00; F21L 11/00; F21L 13/00; F21L 13/04; F21L 13/08; F21L 14/02; F21L 17/00; F21L 19/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D338,366 S * 8/1993 Ueda D7/312
D374,099 S * 9/1996 Bamber D26/41
D394,778 S * 6/1998 Arns D7/312
6,109,471 A * 8/2000 Yamanaka A47J 41/02
220/288
D466,357 S * 12/2002 Bornancini D7/312
D522,794 S * 6/2006 Imai D7/306
D553,417 S * 10/2007 SchreitmueLLer D7/306

D555,970 S * 11/2007 SchreitmueLLer D7/312
D570,510 S * 6/2008 DeBrunner D26/40
D598,701 S * 8/2009 Okajima D7/358
D610,283 S * 2/2010 Loibl D26/40
D611,630 S * 3/2010 Chan D26/40
D650,105 S * 12/2011 Crawford D26/41
D694,445 S * 11/2013 Shiu D26/40
D734,634 S * 7/2015 Moran, Sr. D7/306
D742,052 S * 10/2015 Dorman D26/40
D759,869 S * 6/2016 Huang D26/41
D776,315 S * 1/2017 Wu D26/41

* cited by examiner

Primary Examiner — Lakiya G Rogers

Assistant Examiner — Carissa C Fitts

(74) *Attorney, Agent, or Firm* — DWC Law Firm, P.S.; David Chen

(57) **CLAIM**

The ornamental design for a lantern with extendable arm, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the lantern with extendable arm showing our new design, with the extendable arm in a retracted position.

FIG. 2 is a bottom perspective view thereof.

FIG. 3 is a front side elevation view thereof.

FIG. 4 is a back side elevation view thereof.

FIG. 5 is a right side elevation view thereof.

FIG. 6 is a left side elevation view thereof.


FIG. 7 is a top plan view thereof.

FIG. 8 is a bottom plan view thereof; and,

FIG. 9 is right side elevation view thereof, with the extendable arm of the lantern in an extended position with the globe portion positioned at a top of the arm.

The broken lines in the figures show portions of the lantern with extendable arm and environment that form no part of the claimed design.

1 Claim, 9 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9