



US00D851948S

(12) **United States Design Patent** (10) **Patent No.:** **US D851,948 S**
Imrich et al. (45) **Date of Patent:** **** Jun. 25, 2019**

(54) **CHILD SAFETY SEAT FOR MOTOR CARS**

9,738,182 B2 * 8/2017 Pos B60N 2/2812
D824,182 S * 7/2018 Williams A47D 13/02
D6/333
2009/0167065 A1 * 7/2009 Kespohl B60N 2/2845
297/183.4

(71) Applicant: **CYBEX GMBH**, Bayreuth (DE)

(72) Inventors: **Martin Imrich**, Prague (CZ); **Jiri Pribyl**, Prague (CZ)

(Continued)

(73) Assignee: **CYBEX GMBH**, Bayreuth (DE)

Primary Examiner — Mary Ann Calabrese
(74) *Attorney, Agent, or Firm* — Boyle Fredrickson, S.C.

(**) Term: **15 Years**

(57) **CLAIM**

(21) Appl. No.: **35/503,871**

The ornamental design for a child safety seat for motor cars, as shown and described.

(22) Filed: **Jul. 5, 2017**

DESCRIPTION

(80) **Hague Agreement Data**

Int. Filing Date: **Jul. 5, 2017**
Int. Reg. No.: **DM/098084**
Int. Reg. Date: **Jul. 5, 2017**
Int. Reg. Pub. Date: **Oct. 27, 2017**

1.-2. Child safety seats for motor cars
1.1 is a perspective view of a child safety seat for motor cars in accordance with the present invention;
1.2 is a side elevational view of a first side of the child safety seat of 1.1;
1.3 is a side elevational view of a second side of the child safety seat of 1.1;
1.4 is a front elevational view of the child safety seat of 1.1;
1.5 is a rear elevational view of the child safety seat of 1.1;
1.6 is a top plan view of the child safety seat of 1.1;
1.7 is a bottom plan view of the child safety seat of 1.1;
2.1 is a perspective view of an alternate embodiment of a child safety seat for motor cars in accordance with the present invention;
2.2 is a side elevational view of a first side of the child safety seat of 1.1;
2.3 is a side elevational view of a second side of the child safety seat of 1.1;
2.4 is a front elevational view of the child safety seat of 1.1;
2.5 is a rear elevational view of the child safety seat of 1.1;
2.6 is a top plan view of the child safety seat of 1.1; and
2.7 is a bottom plan view of the child safety seat of 1.1.
The broken lines in the drawings depict portions of the child safety seat for motor cars that form no part of the claim.

(51) **LOC (11) Cl.** **06-01**

(52) **U.S. Cl.**
USPC **D6/333**


(58) **Field of Classification Search**
USPC D6/333-335, 356
CPC A47C 1/00; A47D 1/00; A47D 15/005;
A47D 15/006; B60N 2/26; B60N 2/2851;
B60N 2/2887; B60N 2/42
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D607,651 S * 1/2010 Karremans D6/333
D695,533 S * 12/2013 Jane Santamaria D6/333
D697,323 S * 1/2014 Williams D6/333
D730,651 S * 6/2015 Perego D6/333
9,056,567 B2 * 6/2015 Wuerstl A47D 13/02
D764,817 S * 8/2016 Pos D6/333
D794,968 S * 8/2017 Pos B60N 2/2824
D6/333

1 Claim, 14 Drawing Sheets




(56)

References Cited


U.S. PATENT DOCUMENTS


2018/0079332 A1* 3/2018 Williams B60N 2/2824

* cited by examiner




1.1







1.3




1.4



1.5




1.6




1.7




2.1




2.2




2.3




2.4



2.5



2.6



2.7