



US00D852031S

(12) **United States Design Patent**
Mummert

(10) **Patent No.:** **US D852,031 S**
(45) **Date of Patent:** **** Jun. 25, 2019**

- (54) **ACCESSORY CLIP**
- (71) Applicant: **Marc Stanley Mummert**, Vista, CA
(US)
- (72) Inventor: **Marc Stanley Mummert**, Vista, CA
(US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/647,440**
- (22) Filed: **May 12, 2018**
- (51) **LOC (11) Cl.** **08-08**
- (52) **U.S. Cl.**
USPC **D8/395**
- (58) **Field of Classification Search**
USPC D8/394, 382, 395, 371; D3/215, 218;
D14/250, 251
CPC A45F 2200/0508; A45F 2200/0516; Y10T
24/10; Y10T 24/13; Y10T 24/1391; Y10T
24/1394; Y10T 24/44; Y10T 24/44017;
Y10T 24/44983
See application file for complete search history.

| | | | | |
|--------------|---------|------------|-------|---------|
| D471,787 S * | 3/2003 | Gebrara | | D8/354 |
| D471,788 S * | 3/2003 | Gebara | | D8/354 |
| D481,303 S * | 10/2003 | Fell | | D26/138 |
| D531,886 S * | 11/2006 | Harju | | D8/382 |
| D537,329 S * | 2/2007 | Blanton | | D8/395 |
| D538,147 S * | 3/2007 | James | | D8/395 |
| D548,067 S * | 8/2007 | Komulainen | | D8/382 |
| D552,462 S * | 10/2007 | Boyd | | D8/395 |
| D644,428 S * | 9/2011 | Feng | | D3/218 |
| D656,309 S * | 3/2012 | Renelt | | D3/218 |
| D680,052 S * | 4/2013 | Lee | | D12/223 |
| D713,140 S * | 9/2014 | Krupnick | | D3/218 |
| D733,113 S * | 6/2015 | Krantz | | D14/251 |
| D769,111 S * | 10/2016 | Kamiya | | D8/394 |
| D774,748 S * | 12/2016 | VanHeusen | | D3/215 |
| D780,739 S * | 3/2017 | Kalbach | | D14/250 |
| D784,114 S * | 4/2017 | Rago | | D8/354 |
| D784,115 S * | 4/2017 | Rago | | D8/354 |
| D789,681 S * | 6/2017 | Grisamore | | D3/215 |
| D816,656 S * | 5/2018 | Kim | | D14/253 |
| D816,657 S * | 5/2018 | Kim | | D14/253 |
| D840,388 S * | 2/2019 | Wieth | | D14/251 |

* cited by examiner

Primary Examiner — John Windmuller
Assistant Examiner — Steven J Czyz

(57) **CLAIM**

The ornamental design for an accessory clip, as shown and described.


DESCRIPTION

FIG. 1 is a front perspective view of an accessory clip in accordance with the invention;
FIG. 2 is a front view of FIG. 1;
FIG. 3 is a rear view of FIG. 1;
FIG. 4 is a side view of FIG. 1; and,
FIG. 5 is a rear perspective view of FIG. 1.

1 Claim, 5 Drawing Sheets

(56) **References Cited**
U.S. PATENT DOCUMENTS

| | | | | |
|--------------|---------|--------------|-------|---------|
| D230,827 S * | 3/1974 | Brown et al. | | D8/354 |
| D268,314 S * | 3/1983 | Smith | | D8/349 |
| D274,978 S * | 8/1984 | Preisler | | D8/349 |
| D277,546 S * | 2/1985 | Trotta | | D8/16 |
| D287,905 S * | 1/1987 | Oyamada | | 224/247 |
| D376,805 S * | 12/1996 | Johansson | | D14/253 |
| D377,117 S * | 1/1997 | Klassen | | D3/218 |
| D377,266 S * | 1/1997 | Khoo | | D3/218 |
| D390,699 S * | 2/1998 | Goldenberg | | D3/218 |
| D391,264 S * | 2/1998 | Johansson | | D14/253 |
| D440,760 S * | 4/2001 | Joseph | | D3/218 |






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5