



US00D852190S

(12) **United States Design Patent**
Haigh

(10) **Patent No.:** **US D852,190 S**

(45) **Date of Patent:** **** *Jun. 25, 2019**

(54) **TRANSCIVER**

(71) Applicant: **Senseonics, Incorporated**,
Germantown, MD (US)

(72) Inventor: **Casey Haigh**, Germantown, MD (US)

(73) Assignee: **Senseonics, Incorporated**,
Germantown, MD (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **15 Years**

(21) Appl. No.: **35/503,754**

(22) Filed: **Apr. 4, 2017**

(80) **Hague Agreement Data**

Int. Filing Date: **Apr. 4, 2017**

Int. Reg. No.: **DM/096878**

Int. Reg. Date: **Apr. 4, 2017**

Int. Reg. Pub. Date: **Oct. 6, 2017**

Related U.S. Application Data

(63) Continuation of application No. 29/579,877, filed on Oct. 4, 2016, now Pat. No. Des. 814,463.

(51) **LOC (11) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/358**; D14/240; D24/169

(58) **Field of Classification Search**

USPC ... D14/137, 140, 155, 168, 188, 195, 203.1, D14/203.3, 203.6, 203.7, 203.8, 204, 209, D14/209.1, 216, 240, 242, 299, 300, 302, D14/348, 356, 357, 358, 363, 365, 370, D14/388, 432, 434, 496; D13/103, 152, D13/158, 162, 162.1, 163, 168, 184, 199; D10/61, 104.1, 106.2, 106.3, 106.5, D10/106.6, 106.9, 106.91, 116.1; D24/140, 231, 232, 107, 169, 186

CPC ... H04W 88/08; H04W 88/085; H04W 88/00; H04W 88/005; H04W 88/02; H04W 88/12; H04W 88/14; H04W 88/16; H04W 88/18; H04W 4/00; H01Q 1/02; H01Q 1/2291; H01Q 1/246; H04B 1/38
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D346,598 S 5/1994 McCay et al.
D585,395 S * 1/2009 Cho D14/125
(Continued)

FOREIGN PATENT DOCUMENTS

TW D164532 S 12/2014

OTHER PUBLICATIONS

Eversense Smart Transmitter, online, no post date, <URL: <https://www.eversenseddiabetes.com/eversense-smart-transmitter-2/>>, retrieved Sep. 13, 2018.*

Primary Examiner — Jeffrey D Asch

Assistant Examiner — Rebekah A Caruso

(74) *Attorney, Agent, or Firm* — Rothwell, Figg, Ernst & Manbeck, P.C.

(57) **CLAIM**

The ornamental design for a transceiver, as shown and described.

DESCRIPTION

Fig. 1.1 is a perspective view of the bottom, rear, and right side of the transceiver;

Fig. 1.2 is a perspective view of the top, front, and left side of the transceiver;

Fig. 1.3 is a rear view of the transceiver;

Fig. 1.4 is a front view of the transceiver;

Fig. 1.5 is a left side view of the transceiver;

Fig. 1.6 is a right side view of the transceiver;

Fig. 1.7 is a top view of the transceiver; and

(Continued)





Fig. 1.8 is a bottom view of the transceiver.
The portions of the transceiver shown in broken lines form
no part of the claimed design.

1 Claim, 8 Drawing Sheets

(56) **References Cited**

U.S. PATENT DOCUMENTS

D640,692	S	6/2011	Waisman-Diamond	
D704,581	S *	5/2014	Ho	D10/78
D719,153	S *	12/2014	Lim	D14/356
D722,697	S *	2/2015	Moon	D24/169
D726,924	S *	4/2015	Tseng	D24/186
D729,939	S *	5/2015	Moon	D24/169
D758,589	S *	6/2016	Meguro	D24/169
D777,331	S *	1/2017	Jayalath	D14/344
D780,928	S *	3/2017	Hayakawa	D24/169
D783,552	S *	4/2017	Hogan	D14/125
D787,463	S *	5/2017	Maxwell	D14/130
D795,853	S *	8/2017	Ngo	D14/240
D814,463	S *	4/2018	Haigh	D14/358
D821,374	S *	6/2018	Jun	D14/242

* cited by examiner




FIG. 1.1




FIG. 1.2




FIG. 1.3




FIG. 1.4




FIG. 1.5




FIG. 1.6




FIG. 1.7




FIG. 1.8