



US00D852248S

(12) **United States Design Patent** (10) **Patent No.:** **US D852,248 S**
Zhuang (45) **Date of Patent:** **** Jun. 25, 2019**

(54) **LINEAR ACTUATOR**
(71) Applicant: **TIMOTION TECHNOLOGY CO., LTD.**, New Taipei (TW)
(72) Inventor: **Bing-Sen Zhuang**, New Taipei (TW)
(73) Assignee: **TIMOTION TECHNOLOGY CO., LTD.**, New Taipei (TW)
(**) Term: **15 Years**
(21) Appl. No.: **29/674,138**
(22) Filed: **Dec. 19, 2018**
(51) **LOC (11) Cl.** **15-09**
(52) **U.S. Cl.**
USPC **D15/148**
(58) **Field of Classification Search**
USPC D13/118, 158, 162, 184; D15/1-5, 7, 9, D15/143, 148, 149, 199
CPC B66F 3/18; F16H 19/04; F16H 57/039; H01F 7/066
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D458,284 S * 6/2002 Landerholm D15/143
D577,753 S * 9/2008 Lund D15/143
D589,543 S * 3/2009 Lin D15/143
D594,487 S * 6/2009 Lund D15/143
D595,753 S * 7/2009 Tseng D15/143
D611,514 S * 3/2010 Fukano D15/143
D625,745 S * 10/2010 Chiang D15/143
D646,310 S * 10/2011 Lan D15/143
D654,524 S * 2/2012 Iversen D15/199
D686,260 S * 7/2013 Wu D15/143
D744,559 S * 12/2015 Nakayama D15/143
D765,748 S * 9/2016 Bogelund D15/143
D776,728 S * 1/2017 Wu D15/143
D776,729 S * 1/2017 Wu D15/143

D785,061 S * 4/2017 Gong D15/148
D785,062 S * 4/2017 Gong D15/148
D792,490 S * 7/2017 Lin D15/143
D792,491 S * 7/2017 Lin D15/143
D792,492 S * 7/2017 Lin D15/143
D800,195 S * 10/2017 Lin D15/148
2007/0169578 A1 * 7/2007 Christensen F16H 25/2021 74/89.37
2009/0145254 A1 * 6/2009 Hirabayashi B25J 9/103 74/425
2009/0151489 A1 * 6/2009 Jensen F16H 25/20 74/89.33
2009/0293655 A1 * 12/2009 Tseng F16H 25/2015 74/89.37
2010/0186529 A1 * 7/2010 Chiang F16H 25/2015 74/89.37
2015/0377329 A1 * 12/2015 Wu F16H 25/20 74/89.38

* cited by examiner

Primary Examiner — Patricia A Palasik
(74) *Attorney, Agent, or Firm* — Chun-Ming Shih; HDLS IPR Services



(57) **CLAIM**

The ornamental design for a linear actuator, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a linear actuator showing my new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof; and,
FIG. 8 is second perspective view showing the linear actuator.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG.2




FIG.3




FIG.4




FIG. 5




FIG.6




FIG. 7




FIG. 8