



US00D852270S

(12) **United States Design Patent**  
**Sirichai**

(10) **Patent No.:** **US D852,270 S**  
(45) **Date of Patent:** **\*\* Jun. 25, 2019**

- (54) **IMPLEMENT HOLDER**
- (71) Applicant: **Saharut Sirichai**, Bangkok (TH)
- (72) Inventor: **Saharut Sirichai**, Bangkok (TH)
- (73) Assignee: **WORLD RICHMAN MANUFACTURING CORPORATION**, Elgin, IL (US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/614,439**
- (22) Filed: **Aug. 18, 2017**
- (51) **LOC (11) Cl.** ..... **19-06**
- (52) **U.S. Cl.**  
USPC ..... **D19/81**
- (58) **Field of Classification Search**  
USPC ..... D19/32, 75, 77-85, 135; D3/315, 901;  
D6/677.3; D7/590, 641; D9/415, 457,  
D9/722; D28/73  
CPC .. B43K 23/001; B43K 23/002; B43K 23/004;  
B43K 23/008; B43K 23/012; B43K  
23/016; B43K 23/04; B43M 99/006;  
B43M 99/008  
See application file for complete search history.

- (56) **References Cited**  
U.S. PATENT DOCUMENTS  
1,226,992 A \* 5/1917 Paulus ..... F16B 21/183  
24/1  
1,286,551 A \* 12/1918 Davis ..... A45D 40/02  
401/82  
1,840,563 A \* 1/1932 Brosius, Jr. .... B43K 23/001  
24/11 CT  
1,919,133 A \* 7/1933 Rolot ..... A45D 40/023  
401/59  
2,300,216 A \* 10/1942 Grodsky ..... B42D 9/005  
116/237

- 2,553,346 A \* 5/1951 Wing ..... B43K 23/001  
24/11 CT
- 2,867,363 A \* 1/1959 Knemmerling ..... B23Q 13/00  
206/349
- 3,283,421 A \* 11/1966 Schott ..... G09B 3/04  
24/67.9
- D269,625 S \* 7/1983 Draddy ..... D19/26
- D284,481 S \* 7/1986 Draddy ..... D19/26
- D298,892 S \* 12/1988 Chinchar ..... D19/86
- 4,984,529 A \* 1/1991 Dickson ..... B42D 9/007  
116/234
- 5,501,171 A \* 3/1996 Leake ..... B42D 9/004  
116/234
- 5,572,941 A \* 11/1996 Arnos ..... A47B 21/0371  
112/475.06

(Continued)


*Primary Examiner* — Elizabeth A. Albert  
(74) *Attorney, Agent, or Firm* — Christopher J. Scott

(57) **CLAIM**  
The ornamental design for the implement holder, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of the implement holder showing my new design;  
FIG. 2 is a rear view thereof;  
FIG. 3 is a right side view thereof;  
FIG. 4 is a left side view thereof;  
FIG. 5 is a perspective view thereof;  
FIG. 6 is another perspective view thereof;  
FIG. 7 is a top plan view thereof;  
FIG. 8 is a bottom plan view thereof;  
FIG. 9 is a right side view thereof in use;  
FIG. 10 is a front view thereof in use; and,  
FIG. 11 is still another perspective view thereof on a reduced scale in another condition of use.  
The broken lines are included for the purpose of showing environmental subject matter and form no part of the claimed design.

**1 Claim, 6 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

5,813,786 A \* 9/1998 Fraenkel ..... B43K 23/001  
24/10 R  
5,881,434 A \* 3/1999 Rigney ..... B43K 23/001  
24/11 R  
D438,564 S \* 3/2001 Green ..... D19/135  
D479,477 S \* 9/2003 Perczon ..... D10/74  
7,270,308 B1 \* 9/2007 Mohr ..... B43K 23/02  
248/309.1  
D573,652 S \* 7/2008 Esfahani ..... D19/81  
D598,052 S \* 8/2009 Esfahani ..... D19/81  
D603,904 S \* 11/2009 Esfahani ..... D19/81  
D764,912 S \* 8/2016 Houyoux ..... D28/73  
D794,120 S \* 8/2017 Takemura ..... D19/81  
D818,641 S \* 5/2018 Wilson ..... D28/7

\* cited by examiner




FIG. 1



FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11