

US00D852283S

(12) **United States Design Patent**
Matejczyk

(10) **Patent No.:** **US D852,283 S**
(45) **Date of Patent:** **** Jun. 25, 2019**

(54) **CHAIN LINK COMBINATION**

(71) Applicant: **Martine Blair Matejczyk**, Oakland, CA (US)

(72) Inventor: **Martine Blair Matejczyk**, Oakland, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/505,543**

(22) Filed: **Dec. 15, 2015**

(51) **LOC (11) Cl.** **21-01**

(52) **U.S. Cl.**
USPC **D21/468**

(58) **Field of Classification Search**
USPC D21/406, 468, 684, 694, 734, 736, 753, D21/756-759, 770, 771, 826, 789-795; D8/304, 356, 394, 395, 396; D3/15, 229; 473/201, 206, 215-218, 300-303, 551, 473/553
CPC B60C 7/14; B60B 9/26; A63B 69/36
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,226,397	A *	5/1917	Smith	B60C 9/26
					152/72
1,415,994	A *	5/1922	Collins	B60C 7/14
					152/261
1,630,920	A *	5/1927	Balogh	B60C 9/26
					152/37
3,493,027	A *	2/1970	Dewhirst	B60C 7/14
					152/11
D234,246	S *	2/1975	Martini	D8/395
D278,920	S *	5/1985	Wichman	D11/42
D312,035	S *	11/1990	Carlson	D8/349
D372,882	S *	8/1996	Goldman	D11/40
D508,397	S *	8/2005	Volk	A01K 11/004
					D8/395
D535,550	S *	1/2007	Silberman	D8/356
D596,747	S *	7/2009	Freeland	D24/199

D626,613	S *	11/2010	Ru	D21/756
D782,589	S *	3/2017	Burdick	D21/756
D809,614	S *	2/2018	Chiu	D21/684

OTHER PUBLICATIONS

“Wrought Iron Rosette”, posted Oct. 25, 2010 [online], [retrieved Apr. 23, 2018]. Retrieved from internet, <http://www.traderscity.com/board/products-1/offers-to-sell-and-export-1/wrought-iron-rosette-212873/>.*

“Model A Ford Pickup Bed Tailgate Chain Top Link-Steel”, posted dte unavailable [online], [retrieved Apr. 23, 2018]. Retrieved from internet, https://www.macsautoparts.com/ford_model_a/model-a-ford-pickup-bed-tailgate-chain-top-link-steel.html.*

* cited by examiner

Primary Examiner — Barbara Fox

Assistant Examiner — Mehri F Bajoul

(74) *Attorney, Agent, or Firm* — John H. Miller

(57) **CLAIM**

The ornamental design for a chain link combination, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a chain link combination showing my new design in a first embodiment, showing four individual elements aligned.

FIG. 2 is a top plan view thereof.

FIG. 3 is a perspective view of the chain link combination of FIG. 1 in a different configuration.

FIG. 4 is a top plan view thereof.



FIG. 5 is a perspective view of the chain link combination in a second embodiment, showing 17 individual elements in a coiled configuration.

FIG. 6 is a front elevational view thereof.

FIG. 7 is a top plan view thereof; and,

FIG. 8 is a perspective view of the clip portion shown in FIGS. 1-7, shown separately to show aspects of the clip that are not visible when combined.

1 Claim, 4 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8