



US00D852291S

(12) **United States Design Patent**
Meredith et al.

(10) **Patent No.:** **US D852,291 S**
(45) **Date of Patent:** **** Jun. 25, 2019**

(54) **PAIR OF SAFETY TIERS FOR AN EXERCISE RACK**

(71) Applicant: **HOIST FITNESS SYSTEMS, INC.**,
Poway, CA (US)

(72) Inventors: **Jeffrey Meredith**, Del Mar, CA (US);
Bruce Hockridge, San Diego, CA (US)

(73) Assignee: **HOIST FITNESS SYSTEMS, INC.**,
Poway, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/644,520**

(22) Filed: **Apr. 18, 2018**

Related U.S. Application Data

(62) Division of application No. 29/580,811, filed on Oct. 13, 2016, now Pat. No. Des. 818,547.

(51) **LOC (11) Cl.** **21-02**

(52) **U.S. Cl.**
USPC **D21/694**

(58) **Field of Classification Search**
USPC D21/691, 686, 694; 482/104, 98, 106,
482/135, 112; 411/366.1
CPC A63B 21/078; A63B 21/0783; A63B
21/4029; A63B 21/00181; A63B 21/4035;
A63B 21/4047; A63B 21/0724; A63B
2023/0411

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 5,011,141 A * 4/1991 Towley, III A63B 21/078
482/104
- 5,281,193 A * 1/1994 Colbo, Jr. A63B 21/078
482/104
- 5,727,764 A * 3/1998 Angeles A47B 57/482
248/219.4

- 5,971,898 A * 10/1999 Schoolfield A63B 21/4029
482/104
- D444,827 S * 7/2001 Mobley D21/694
- D450,797 S 11/2001 Pelletier
- 6,379,287 B1 4/2002 Slawinski et al.
- 6,558,299 B1 * 5/2003 Slattery A63B 21/078
482/104
- 6,746,379 B1 * 6/2004 Brawner A63B 21/078
482/104
- D495,380 S * 8/2004 Ceppo D21/686
- D550,792 S 9/2007 Rogers et al.

(Continued)

OTHER PUBLICATIONS

Hoist Fitness Systems, HF-OPT-5000-04 Safety Tiers, Dec. 16, 2017, 1 page.

Primary Examiner — Philip S Hyder

Assistant Examiner — Ryan Harvey

(74) *Attorney, Agent, or Firm* — Gordon Rees Scully
Mansukhani LLP; David R. Heckadon


(57) **CLAIM**

The ornamental design for a pair of safety tiers for an exercise rack, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a pair of safety tiers for an exercise rack in accordance with the present design. FIG. 2 is a front view of the pair of safety tiers of FIG. 1. FIG. 3 is a rear view thereof. FIG. 4 is a left side view thereof. FIG. 5 is a right side view thereof. FIG. 6 is a top view thereof; and, FIG. 7 is a bottom view thereof. The broken lines showing the exercise rack or the remainder of the safety tier are directed to the environment. None of the broken lines form a part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

7,585,259 B2 * 9/2009 Turner A63B 21/078
482/104
D617,400 S 6/2010 Hetzel et al.
8,147,389 B1 4/2012 Hoole
D671,997 S 12/2012 Lien
8,328,698 B1 12/2012 Webber et al.
9,327,161 B1 * 5/2016 Maher A63B 21/078
9,345,923 B2 5/2016 Haggard et al.
D807,446 S * 1/2018 Meredith D21/691
D807,447 S * 1/2018 Meredith D21/691
D818,547 S * 5/2018 Meredith D21/686
10,071,275 B2 * 9/2018 Beaver A63B 23/0458
10,086,226 B2 * 10/2018 Nelson A63B 21/4035
2007/0155596 A1 7/2007 Rogers et al.
2009/0124469 A1 5/2009 Webber et al.
2014/0200117 A1 7/2014 Grider
2014/0296040 A1 * 10/2014 Mobley A63B 21/078
482/104
2015/0016919 A1 1/2015 Tanbomino
2015/0224358 A1 8/2015 Chen
2017/0246490 A1 8/2017 Hopperstad et al.
2018/0104527 A1 * 4/2018 Meredith A63B 21/072
2018/0353795 A1 * 12/2018 Ostmeyer A63B 21/0783

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7