



US00D852353S

(12) **United States Design Patent**
Paul et al.

(10) **Patent No.:** **US D852,353 S**
(45) **Date of Patent:** **** Jun. 25, 2019**

(54) **TRACHEAL INTUBATION BOUGIE AND CATHETER WITH COLOR-CODED DEPTH INDICATORS**

(71) Applicant: **Lothian Health Board**, Edinburgh (GB)

(72) Inventors: **Adam M. Paul**, Edinburgh (GB);
Alistair Gibson, Edinburgh (GB);
Oliver Robinson, Edinburgh (GB)

(73) Assignee: **Lothian Health Board**, Edinburgh (GB)

(**) Term: **15 Years**

(21) Appl. No.: **29/558,709**

(22) Filed: **Mar. 21, 2016**

Related U.S. Application Data

(62) Division of application No. 29/466,973, filed on Sep. 13, 2013, now Pat. No. Des. 752,213.

(51) **LOC (11) Cl.** **24-01**

(52) **U.S. Cl.**
USPC **D24/127**

(58) **Field of Classification Search**
USPC D24/112-114, 133, 186, 130, 127;
606/181, 185; 604/264, 272, 115,
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,935,640 A 2/1976 Cohan
D248,969 S * 8/1978 Hodge 604/268
(Continued)

Primary Examiner — David G Muller

Assistant Examiner — Nathan M Johnston

(74) *Attorney, Agent, or Firm* — Myers Bigel, P.A.

(57) **CLAIM**

The ornamental design for a tracheal intubation bougie and catheter with color-coded depth indicators, as shown and described.

DESCRIPTION

The patent or application file contains at least one drawing executed in color. Copies of this patent or patent application publication with color drawings will be provided by the Office upon request and payment of the necessary fee.

FIG. 1 is a side view of a tracheal intubation catheter with color-coded depth indicators according to our design;

FIG. 2 is a front end view thereof;

FIG. 3 is a back view thereof;

FIG. 4 is a perspective view thereof;

FIG. 5 is an environmental side view of the tracheal intubation catheter with color-coded depth indicators shown in use in a patient according to our design;

FIG. 6 is an environmental perspective view of the tracheal intubation catheter with color-coded depth indicators of our design shown with an endotracheal tube thereon and an oxygen attachment at one end thereof;

FIG. 7 is a side view of another embodiment of a tracheal intubation catheter with color-coded depth indicators according to our design;

FIG. 8 is a front end view thereof;

FIG. 9 is a back view thereof;

FIG. 10 is a perspective view thereof;


FIG. 11 is an environmental side view of the tracheal intubation catheter with color-coded depth indicators shown in use in a patient according to our design; and,

FIG. 12 is an environmental perspective view of the tracheal intubation catheter with color-coded depth indicators of our design shown with an endotracheal tube thereon and an oxygen attachment at one end thereof.

The broken lines shown herein are for illustrative purposes only and form no part of the claimed design. The different stippling patterns in the drawings indicate surfaces having a contrasting appearance as shown.

The environmental views of FIGS. 5, 6, 11 and 12 are shown for illustrative purposes with respect to an endotracheal tube (shown in broken line and disclaimed), and it should be understood that in use, portions of the device would be

(Continued)



occluded by the endotracheal tube and/or by insertion in a patient. For FIGS. 7-12, when printed in black and white, the different segments represent red, yellow and green. The catheter is shown with a symbolic break in its length. The appearance of any portion of the article between the break lines forms no part of the claimed design.

**1 Claim, 12 Drawing Sheets
(6 of 12 Drawing Sheet(s) Filed in Color)**

(58) **Field of Classification Search**

USPC 604/164.01-164.09, 533, 232, 187,
604/168.01, 192, 19, 48, 93.01, 523, 524,
604/526; 600/101, 139, 143;
128/200.24, 207.14, 207.15
CPC A61M 2209/082; A61M 2205/3569; A61M
2205/3592; A61M 2205/502; A61M
16/0488; A61B 1/00052; A61B 1/00101;
A61B 1/00105; A61B 1/267
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,512,765	A	4/1985	Muto	
4,567,882	A	2/1986	Heller	
4,774,943	A	10/1988	Yu	
5,333,606	A	8/1994	Schneider et al.	
5,333,607	A	8/1994	Kee et al.	
5,337,780	A	8/1994	Kee	
5,343,857	A	9/1994	Schneider et al.	
5,357,946	A	10/1994	Kee et al.	
5,423,677	A	6/1995	Brattesani	
5,445,141	A	8/1995	Kee et al.	
D372,779	S *	8/1996	Mongeon	D24/112
5,573,529	A *	11/1996	Haak	A61B 90/90 128/898

5,587,284	A	12/1996	Brattesani	
5,623,924	A	4/1997	Lindenman et al.	
5,628,306	A	5/1997	Kee	
5,738,091	A	4/1998	Kee et al.	
D398,989	S	9/1998	Ashlin	
5,989,230	A	11/1999	Frassica	
6,889,693	B2	5/2005	Hipolito et al.	
7,214,056	B2 *	5/2007	Stockstill	A61C 7/146 433/3
D625,813	S	10/2010	Dapri et al.	
D629,515	S	12/2010	Laurence	
D641,874	S	7/2011	Solingen et al.	
D642,262	S	7/2011	Wagner	
D650,076	S	12/2011	Dapri et al.	
D652,141	S	1/2012	Wagner	
D655,414	S	3/2012	Cuschieri et al.	
D666,712	S	9/2012	Laurence	
D669,983	S	10/2012	Dapri et al.	
8,764,631	B2 *	7/2014	Frassica	A61B 90/361 600/104
D735,847	S *	8/2015	Laurence	D24/112
D752,213	S *	3/2016	Paul	D24/127
D752,215	S *	3/2016	Blennow	D24/130
D775,330	S *	12/2016	Blennow	D24/130
2006/0174893	A1	8/2006	Kanowitz	
2007/0239119	A1	10/2007	Lipov	
2008/0214992	A1 *	9/2008	Haarala	A61B 17/3415 604/44
2008/0230070	A1	9/2008	Gregorian	
2009/0054733	A1 *	2/2009	Marescaux	A61B 17/29 600/141
2009/0112050	A1	4/2009	Farnan et al.	
2010/0307489	A1	12/2010	Harms et al.	
2011/0017217	A1	1/2011	Wood et al.	
2011/0284008	A1	11/2011	Kanowitz	
2012/0109079	A1	5/2012	Asleson et al.	
2013/0158488	A1	6/2013	Weaver et al.	
2016/0008156	A1 *	1/2016	Pecor	A61F 5/0089 606/185
2017/0232227	A1 *	8/2017	Paz	A61M 25/0017 604/544

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10





FIG. 11



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D852,353 S
APPLICATION NO. : 29/558709
DATED : June 25, 2019
INVENTOR(S) : Paul et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page

Item (56) References Cited, U.S. PATENT DOCUMENTS:

Please insert the following references:


--3,508,554 4/1970 Sheridan
3,625,793 12/1971 Sheridan et al.
3,725,522 4/1973 Sheridan et al.--

Item (56) References Cited, FOREIGN PATENT DOCUMENTS:

Please insert the following references:

--CN 2553818 Y 6/2003
CN 2647340 Y 10/2004
CN 101411911 A 4/2009
CN 201304164 Y 9/2009
CN 201537300 U 8/2010
CN 201759904 U 3/2011
CN 101991896 A 3/2011
CN 201799006 U 4/2011
CN 201862112 U 6/2011
CN 201978295 U 9/2011
CN 202069975 U 12/2011
CN 202263273 U 6/2012
CN 202387085 U 8/2012
GB 1,318,278 5/1973
GB 2 456 815 A 7/2009
DE 2,065,390 6/1973
JP 2004-008817 A 1/2004
WO 2007/093786 A1 8/2007
WO 2011/020985 A1 2/2011--

Signed and Sealed this
Tenth Day of December, 2019



Andrei Iancu
Director of the United States Patent and Trademark Office