

US00D852367S

(12)

United States Design Patent

Sargent et al.

(10)

Patent No.:

US D852,367 S

(45)

Date of Patent:

** Jun. 25, 2019

(54) **ELECTRODE**

(71) Applicant: **X Development LLC**, Mountain View, CA (US)

(72) Inventors: **Joseph Hollis Sargent**, San Francisco, CA (US); **Sarah Ann Laszlo**, Mountain View, CA (US); **Brian John Adolf**, San Mateo, CA (US)

(73) Assignee: **X Development LLC**, Mountain View, CA (US)

(**) Term: **15 Years**

D327,325	S	6/1992	Strand	
D357,069	S	4/1995	Plahn	
5,402,780	A *	4/1995	Faasse, Jr.	A61B 5/0408 29/877
D364,899	S *	12/1995	Molenaar	D21/460
D369,667	S	5/1996	Vincent et al.	
D378,614	S	3/1997	Jensen	
D385,037	S	10/1997	Jensen	
D397,376	S *	8/1998	Hwang	D21/460
D422,711	S	4/2000	Park	
D429,337	S	8/2000	Sanfilippo	
D432,240	S	10/2000	Katz	
D456,907	S *	5/2002	Sanfilippo	D24/187
D462,402	S *	9/2002	Makhotkin	D21/460
D468,433	S *	1/2003	Wagner	D24/187

(Continued)

(21) Appl. No.: **29/619,312**

(22) Filed: **Sep. 28, 2017**

(51) **LOC (11) Cl.** **24-02**

(52) **U.S. Cl.**
USPC **D24/187**

(58) **Field of Classification Search**
USPC D24/107, 168, 186, 187, 189, 200; D21/373, 460, 461
CPC A61B 5/0002; A61B 5/042; A61B 5/0404; A61B 5/0416; A61B 5/0422; A61B 5/0424; A61B 5/0492; A61B 5/04004; A61B 5/0402; A61B 5/04012; A61B 5/04082; A61B 5/04085; A61B 5/04087; A61N 1/046; A61N 1/0472; A61N 1/0476; A61N 1/0492

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,872,203	A *	8/1932	Wily	A63H 1/00 446/243
3,253,595	A	5/1966	Murphy, Jr.	
D292,229	S	10/1987	Knudson	
D295,784	S	5/1988	Inoue	
D317,502	S	6/1991	Doty	
D318,330	S	7/1991	Doty	

OTHER PUBLICATIONS

Spinning Tops. Online, published date unknown. Retrieved on Nov. 13, 2018 from URL: <https://www.nationalautismresources.com/spinning-tops/>.*

Primary Examiner — Susan Bennett Hattan
Assistant Examiner — Omeed Agilee

(74) Attorney, Agent, or Firm — Fish & Richardson P.C.


(57) **CLAIM**

The ornamental design for an electrode, substantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective rear view of an electrode.
FIG. 2 is a rear view of FIG. 1.
FIG. 3 is a front view of FIG. 1.
FIG. 4 is a left side view of FIG. 1.
FIG. 5 is a right side view of FIG. 1.
FIG. 6 is a top view of FIG. 1; and,
FIG. 7 is a bottom view of FIG. 1.
The broken lines in each figure depict features of the electrode that form no part of the claimed design.

1 Claim, 3 Drawing Sheets



Page 2

References Cited

D471,281	S	*	3/2003	Baura	D24/187
D475,138	S	*	5/2003	Baura	D24/187
6,574,513	B1		6/2003	Collura et al.	
D478,173	S		8/2003	Nielsen	
D478,668	S		8/2003	Epstein	
6,640,122	B2		10/2003	Manoli et al.	
D495,055	S	*	8/2004	Silber	D24/187
D508,997	S		8/2005	Hairfield, Sr.	
D510,440	S		10/2005	Huang	
6,998,031	B1		2/2006	Hill	
D536,673	S		2/2007	Silber	
7,215,989	B1	*	5/2007	Burks	A61B 5/04085 600/391
D567,374	S		4/2008	Reznik	
D625,823	S		10/2010	Schneider et al.	
D685,035	S	*	6/2013	Kanbar	D21/460

8,858,472	B2	10/2014	Gomez	
9,186,084	B2	11/2015	Chai et al.	
9,314,184	B2	4/2016	Chai et al.	
9,314,185	B2	4/2016	Chai et al.	
D758,595	S	6/2016	Zhao	
D768,096	S	10/2016	Fleischer	
D783,818	S	4/2017	Hermann et al.	
D790,088	S	6/2017	Yeffet	
D791,956	S	7/2017	Stewart	
D795,443	S	8/2017	Ho	
D797,297	S *	9/2017	Martin	D24/187
D821,587	S	6/2018	Vosch	
D821,588	S	6/2018	Vosch	
D826,412	S	8/2018	Martin	
2011/0046503	A1	2/2011	Pradeep et al.	
2015/0282760	A1 *	10/2015	Badower	A61B 5/04012 600/383
2015/0343318	A1 *	12/2015	Liang	A63H 1/00 446/259

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7