



US00D852552S

(12) **United States Design Patent** (10) **Patent No.:** **US D852,552 S**
Bitton et al. (45) **Date of Patent:** **** Jul. 2, 2019**

(54) **SAFETY DRAWER**

(56)

References Cited

(71) Applicants: **Ami Bitton**, Kiryat Bialik (IL); **Tal Klumeck**, Givatayim (IL); **Tal Huppert**, Zichron Yaakov (IL)

(72) Inventors: **Ami Bitton**, Kiryat Bialik (IL); **Tal Huppert**, Zichron Yaakov (IL)

(**) Term: **15 Years**

(21) Appl. No.: **29/653,039**

(22) Filed: **Jun. 12, 2018**

Related U.S. Application Data

(62) Division of application No. 29/586,246, filed on Dec. 1, 2016, now Pat. No. Des. 838,516.

(51) **LOC (11) Cl.** **06-04**

(52) **U.S. Cl.**

USPC **D6/671.1**

(58) **Field of Classification Search**

USPC D6/407, 657, 661, 663, 664, 664.1,
D6/668.2, 671, 671.1, 671.4, 675, 675.1,
D6/675.5, 683.1, 691.1, 691.8, 691.9,
D6/702, 703; D14/168, 184; D15/85;
D8/310; D23/342, 284, 285, 286, 300,
D23/293.1; D13/184

CPC ... A47B 47/024; A47B 87/008; A47B 87/002;
A47B 88/48; A47B 88/90; A47B
2210/19; A47B 47/04; A47B 67/04; A47B
87/00; A47B 88/00; A47B 88/75; A47F
3/0413; A47F 5/116; A47F 5/0018; A47F
9/00; A47F 7/02; Y10T 428/24694; F25D
21/14; F25D 23/069; F25D 2400/10;
E05B 65/463

See application file for complete search history.

U.S. PATENT DOCUMENTS

193,296 A * 7/1877 Thomas A47B 88/90
220/544
3,647,271 A * 3/1972 Allred A47B 88/57
312/334.39
D337,218 S * 7/1993 Black D6/671.1
D353,282 S * 12/1994 Keller D6/671.1
D401,081 S * 11/1998 Zaidman D6/671.1
6,568,771 B2 * 5/2003 Gentili E05B 65/464
312/217
D476,505 S * 7/2003 Lenger D6/671.1
D605,440 S * 12/2009 Rickard D3/308
D638,234 S * 5/2011 Kirkeby D6/671
D700,461 S * 3/2014 Forry D6/642
8,967,743 B2 * 3/2015 Bernett A47B 17/00
312/265.6
9,750,346 B2 * 9/2017 Chen A47B 88/403

(Continued)

Primary Examiner — Kevin K Rudzinski

Assistant Examiner — Paul D Bohannon

(74) *Attorney, Agent, or Firm* — The Roy Gross Law Firm, LLC; Roy Gross

(57)

CLAIM

The ornamental design for safety drawer, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a safety drawer in accordance with the new design in an open position; FIG. 2 is a front perspective view thereof in a closed position;

FIG. 3 is a bottom perspective view thereof;

FIG. 4 is a front view thereof;


FIG. 5 is a rear view thereof;

FIG. 6 is a right view thereof; and,

FIG. 7 is a left view thereof.

The broken lines shown in FIGS. 1-7 are directed to environment and are for illustrative purposes only; the broken lines form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

9,863,167 B1 * 1/2018 Garrett B60R 7/14
D838,516 S * 1/2019 Bitton D6/671

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG.5




FIG. 6




FIG. 7