



US00D852573S

(12) **United States Design Patent**
Bassill

(10) **Patent No.:** **US D852,573 S**

(45) **Date of Patent:** **** Jul. 2, 2019**

(54) **INDUCTION WARMER**

(71) Applicant: **HATCO CORPORATION**,
Milwaukee, WI (US)

(72) Inventor: **Nicholas Bassill**, Malibu, CA (US)

(73) Assignee: **HATCO CORPORATION**,
Milwaukee, WI (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/604,242**

(22) Filed: **May 16, 2017**

(51) **LOC (11) Cl.** **07-02**

(52) **U.S. Cl.**
USPC **D7/363**

(58) **Field of Classification Search**
USPC D7/354-365, 367, 402-404, 407-409,
D7/417, 339, 346, 347, 332-334
CPC A47J 47/02; A47J 47/14; A47J 2027/043;
A47J 27/04; A47J 27/05; A47J 27/17;
A47J 27/16; A47J 33/00; A23L 5/13;
B65D 39/00; B65D 43/00; B65D 43/02;
B65D 43/14; F24C 15/10; F24C 15/101;
F24C 15/102; F24C 15/107; F24C
15/108; F24C 15/26; F24C 3/14; F24C
1/16; F24C 5/20; F23D 14/06; F23D
14/38; F23D 14/56; F23D 14/465; F23D
14/52; F23D 2900/14062; F23D
2900/14063; H05B 6/02; H05B 6/06;
H05B 6/062; H05B 6/12; H05B 6/1209;
H05B 2213/07

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D204,070 S * 3/1966 Kramer D7/363
D249,917 S * 10/1978 Collins D7/356
D285,523 S * 9/1986 Ayukawa D7/367
D296,509 S * 7/1988 Fuke D7/363

D438,423 S * 3/2001 Bassill D7/367
D501,117 S * 1/2005 Bassill D7/367
D685,605 S * 7/2013 Xin D7/352

(Continued)

Primary Examiner — Barbara Fox

Assistant Examiner — Messina L Smith

(74) *Attorney, Agent, or Firm* — Ryan Kromholz &
Manion, S.C.

(57) **CLAIM**



The ornamental design for an induction warmer, as shown
and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of an
induction warmer, showing the new design;
FIG. 2 is a right side elevation view thereof;
FIG. 3 is a left side elevation view thereof;
FIG. 4 is a front elevation view thereof;
FIG. 5 is a rear elevation view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom plan view thereof;
FIG. 8 is a perspective view of a second embodiment of the
induction warmer;
FIG. 9 is a right side elevation view thereof;
FIG. 10 is a left side elevation view thereof;
FIG. 11 is a front elevation view thereof;
FIG. 12 is a rear elevation view thereof;
FIG. 13 is a top plan view thereof;
FIG. 14 is a bottom plan view thereof;
FIG. 15 is a perspective view of a third embodiment of the
induction warmer;
FIG. 16 is a right side elevation view thereof;
FIG. 17 is a left side elevation view thereof;
FIG. 18 is a front elevation view thereof;
FIG. 19 is a rear elevation view thereof;
FIG. 20 is a top plan view thereof; and,
FIG. 21 is a bottom plan view thereof.

The broken lines in the drawings depict portions of the
induction warmer that form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D751,855 S	*	3/2016	Bassill	D7/367
D793,801 S	*	8/2017	Bassill	D7/362
D814,848 S	*	4/2018	Bassill	D7/367
D817,704 S	*	5/2018	Kim	D7/402
D817,710 S	*	5/2018	Kim	D7/409

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21