



US00D852685S

(12) **United States Design Patent**
Steinkamp et al.

(10) **Patent No.:** **US D852,685 S**
(45) **Date of Patent:** **** Jul. 2, 2019**

(54) **SUSPENSION STABILIZER BAR ENDLINK ASSEMBLY**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **TOYOTA MOTOR ENGINEERING & MANUFACTURING NORTH AMERICA, INC.**, Erlanger, KY (US)

JP 2006-250234 A 9/2006
JP 2007-76547 A 3/2007
WO 2013/187223 A1 12/2013

(72) Inventors: **Kyle G. Steinkamp**, Ann Arbor, MI (US); **Jakin C. Wilson**, Phoenix, AZ (US)

OTHER PUBLICATIONS

Definition of ball joint; <http://www.thefreedictionary.com/ball-and-socket+joint>; Apr. 15, 2016.

(73) Assignee: **TOYOTA MOTOR ENGINEERING & MANUFACTURING NORTH AMERICA, INC.**, Erlanger, KY (US)

Primary Examiner — Michael A. Pratt
(74) *Attorney, Agent, or Firm* — Oblon, McClelland, Maier & Neustadt, L.L.P.

(**) Term: **15 Years**

(57) **CLAIM**

(21) Appl. No.: **29/611,674**

The ornamental design for a suspension stabilizer bar endlink assembly, as shown and described.

(22) Filed: **Jul. 24, 2017**

DESCRIPTION

Related U.S. Application Data

(63) Continuation of application No. 14/665,974, filed on Mar. 23, 2015, now abandoned.

(51) **LOC (11) Cl.** **12-16**

(52) **U.S. Cl.**
USPC **D12/160**

(58) **Field of Classification Search**
USPC D12/160
CPC B60G 7/02; B60G 2204/1224
See application file for complete search history.

FIG. 1 is an orthogonal view of a right side, or a left side which is a mirror image of the right side, of the suspension stabilizer bar endlink assembly;
FIG. 2 is an orthogonal view of a top, or a bottom which is a mirror image of the top, thereof;
FIG. 3 is an orthogonal view of a front thereof;
FIG. 4 is a cut away view of the right or left side of a top end or bottom end portion thereof, which illustrates the top end or bottom end portion of an endlink of the suspension stabilizer bar endlink assembly shown in cross-section, which illustrates a dust cap of the suspension stabilizer bar endlink assembly with a portion of the dust cap shown in cross-section, and which illustrates a ball joint of the suspension stabilizer bar endlink assembly; and,
FIG. 5 is an exploded perspective view showing a back, right or left side, and top or bottom thereof.
The broken lines in the drawings illustrate subject matter that forms no part of the claimed design.



(56) **References Cited**

U.S. PATENT DOCUMENTS

4,887,486 A 12/1989 Wood, Jr.
5,165,306 A * 11/1992 Hellon B60G 7/005
280/124.107
5,765,844 A * 6/1998 Wood B62D 7/20
280/771
D402,617 S * 12/1998 Adams, III D12/160

(Continued)

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

6,604,270 B2 * 8/2003 Kincaid B60G 7/005
280/124.152
8,657,314 B2 * 2/2014 Mosteiro Goyoaga ... F16C 7/02
280/124.107
2003/0080526 A1 * 5/2003 Conover B60G 17/025
280/124.106
2009/0173033 A1 * 7/2009 Baxter, Jr. A63J 1/00
52/646
2009/0288297 A1 * 11/2009 Schmidt F16C 11/0633
29/898.052
2011/0291377 A1 12/2011 Kato
2014/0035249 A1 * 2/2014 Teijeiro Castro B60G 21/005
280/124.106
2014/0254965 A1 9/2014 Giegel et al.
2015/0151605 A1 * 6/2015 Kuroda B60G 21/0551
280/124.107
2016/0280037 A1 * 9/2016 Steinkamp B60G 21/0551
2018/0297439 A1 * 10/2018 Meabe Zabala B60G 7/001

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5