



US00D852694S

(12) **United States Design Patent**
Chung et al.

(10) **Patent No.:** **US D852,694 S**

(45) **Date of Patent:** **** Jul. 2, 2019**

(54) **BRAKE DISC**

(71) Applicants: **Hwa Young Chung**, Yantai (CN);
Shucheng Xin, Yantai (CN); **Liqiang Song**, Yantai (CN)

(72) Inventors: **Hwa Young Chung**, Yantai (CN);
Shucheng Xin, Yantai (CN); **Liqiang Song**, Yantai (CN)

(73) Assignee: **Winhere Automotive, Inc.**, Hanover Park, IL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/619,949**

(22) Filed: **Oct. 3, 2017**

(51) **LOC (11) Cl.** **12-16**

(52) **U.S. Cl.**

USPC **D12/180**

(58) **Field of Classification Search**

USPC D12/14, 40, 87, 88, 92, 106, 107, 110,
D12/114, 115, 117, 118, 122, 126, 160,
D12/161, 162, 174, 177, 179, 180, 181,
D12/189, 196, 207, 217, 223, 400, 401,
D12/404, 408, 415, 420, 423

CPC .. B32B 3/06; B60R 1/025; B60R 1/08; B60T
1/06; B60T 7/00; B60T 8/265; B60T
11/00; B60T 11/103; B60T 13/00; B60T
13/66; B60T 17/223; B60T 2201/00;
B60T 2201/03; B60T 2260/00; B60T
2270/82;

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,391,763 A * 7/1968 Severson F16D 65/125
188/218 XL
4,484,667 A * 11/1984 Bottieri, Jr. B60C 23/18
188/218 A

(Continued)

OTHER PUBLICATIONS

StopTech Drilled and Slotted Sport Rotor, image post date Jan. 15, 2013, site visited Jun. 23, 2018, (online), <<https://web.archive.org/web/20130115103529/http://www.stoptech.com/products/rotors/stoptech-sport-rotors>>.*

(Continued)

Primary Examiner — Kevin K Rudzinski

(74) *Attorney, Agent, or Firm* — Douglas E. Warren

(57) **CLAIM**

The ornamental design for a brake disc, substantially as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view showing the brake disc including grooves and diamond shaped dimples on the front side of the present invention;

FIG. 2 is a back perspective view showing the brake disc including grooves and diamond shaped dimples on the back side of the present invention;

FIG. 3 is a front elevation view showing the brake disc including grooves and diamond shaped dimples on the front side of the present invention;

FIG. 4 is a right side elevation view of the present invention;


FIG. 5 is a top plan view of the present invention;

FIG. 6 is a back elevation view showing the brake disc including grooves and diamond shaped dimples on the back side of the present invention; and,

FIG. 7 an enlarged view of the detail of the diamond shaped dimples where indicated on FIG. 3 illustrating a single instance of the plurality of these diamond shaped dimple elements that appear on the front side and the back side of the present invention.

The broken line portions of the drawing disclosure illustrate portions of the brake disc that form no part of the claimed design. The dash-dot lines of FIG. 3 define the area corresponding to the enlarged portion of FIG. 7 and from no part of the claimed design.

1 Claim, 3 Drawing Sheets



- (58) **Field of Classification Search**
 CPC B60T 2270/83; B62K 23/06; B62H 5/001;
 B62J 9/006; B62L 1/02; B62L 3/02;
 B62D 13/025; B62D 21/18; B62D
 53/045; B62D 63/04; B62D 65/02; B62D
 65/18; B65D 43/16; B65D 43/22; B65D
 55/02; F16D 55/00; F16D 55/22; F16D
 65/00; F16D 65/092; F16D 65/095; F16D
 65/097; F16D 65/14; F16D 65/16; F16D
 65/18; F16D 65/22; F16D 65/38; F16D
 65/56; F16D 65/847; F16D 66/02; F21S
 48/00; F42B 10/64; G01S 13/931
 See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,811,822 A * 3/1989 Estaque H02K 49/046
 188/264 A
 5,279,396 A * 1/1994 Estaque F16D 65/128
 188/218 XL
 5,487,452 A * 1/1996 Moinard F16D 55/14
 188/72.6
 5,544,726 A * 8/1996 Topouzian F16D 65/125
 188/218 XL
 5,632,362 A * 5/1997 Leitner B62L 1/00
 188/18 A
 5,878,848 A * 3/1999 Zhang F16D 65/128
 188/218 XL
 D446,756 S * 8/2001 York D12/180
 6,308,808 B1 * 10/2001 Krenkel F16D 65/126
 188/218 XL
 D456,326 S * 4/2002 York D12/180
 D459,282 S * 6/2002 Oberti D12/180
 D465,179 S * 11/2002 Ballinger D12/180
 D471,140 S * 3/2003 Oberti D12/180
 6,536,564 B1 * 3/2003 Garfinkel F16D 65/12
 188/218 XL
 D497,127 S * 10/2004 Veneziano D12/180
 D508,666 S * 8/2005 Cornolti D12/180
 D512,353 S * 12/2005 Aloy D12/180
 7,066,306 B2 * 6/2006 Gavin F16D 65/12
 188/218 XL
 7,097,006 B2 * 8/2006 Veneziano F16D 65/128
 188/218 XL
 7,219,777 B2 * 5/2007 Lin F16D 65/12
 188/218 XL
 D557,187 S * 12/2007 Johnson D12/180
 D583,714 S * 12/2008 Ichihara D12/110
 7,600,615 B2 * 10/2009 Ramsay B60T 5/00
 188/264 AA
 D607,796 S * 1/2010 Schmitz D12/180
 D624,472 S * 9/2010 Schmitz D12/180
 D640,620 S * 6/2011 Bielis, IV D12/180
 D640,622 S * 6/2011 Schmitz D12/180
 8,056,683 B2 * 11/2011 Usui F16D 65/18
 188/156
 D656,867 S * 4/2012 Uemoto D12/110
 D661,632 S * 6/2012 Shinagawa D12/180
 D661,633 S * 6/2012 Shinagawa D12/180
 D664,080 S * 7/2012 Perry D12/180
 8,251,190 B2 * 8/2012 Gey F16D 65/128
 188/218 XL
 8,381,884 B2 * 2/2013 Watarai B60T 1/06
 188/18 A
 D690,634 S * 10/2013 Joseph 188/18 A
 D690,650 S * 10/2013 Lin D13/122
 D691,528 S * 10/2013 Joseph D12/180
 D693,280 S * 11/2013 Shinagawa D12/180

D700,551 S * 3/2014 Davenport, III D12/180
 8,668,058 B2 * 3/2014 Lu F16D 65/12
 188/218 XL
 8,733,517 B2 * 5/2014 Tironi F16D 65/128
 188/218 XL
 8,978,842 B2 * 3/2015 Iwai C23C 4/02
 188/218 XL
 D726,300 S * 4/2015 DeFilippis D23/414
 9,068,612 B2 * 6/2015 Gebauer F16D 65/128
 9,206,869 B2 * 12/2015 Wen F16D 65/847
 D749,476 S * 2/2016 Dunlap, III D12/180
 D749,477 S * 2/2016 Dunlap, III D12/180
 9,371,875 B2 * 6/2016 Noriega Gonzalez
 F16D 65/847
 D761,702 S * 7/2016 Kobayashi D12/118
 D789,854 S * 6/2017 Peck D12/180
 9,765,834 B2 * 9/2017 Joseph F16D 65/12
 9,856,934 B2 * 1/2018 Peck F16D 65/123
 9,933,030 B2 * 4/2018 Joseph F16D 65/127
 2004/0200678 A1 * 10/2004 Lin F16D 65/0031
 188/218 XL
 2005/0056495 A1 * 3/2005 Greppi F16D 65/12
 188/26
 2005/0183909 A1 * 8/2005 Rau, III F16D 65/0006
 188/218 XL
 2006/0076200 A1 * 4/2006 Dessouki F16D 65/0018
 188/218 XL
 2007/0181390 A1 * 8/2007 Korm F16D 65/128
 188/218 XL
 2007/0199778 A1 * 8/2007 Lee F16D 65/12
 188/218 XL
 2008/0142319 A1 * 6/2008 Manter 188/218 XL
 2009/0026027 A1 * 1/2009 Martino B22F 5/106
 188/218 XL
 2012/0138398 A1 * 6/2012 Nadal Aloy F16D 65/12
 188/218 XL
 2012/0168266 A1 * 7/2012 Veneziano F16D 65/12
 188/218 XL
 2012/0255820 A1 * 10/2012 McCord F16D 65/12
 188/218 XL
 2013/0056314 A1 * 3/2013 Diaz De Cerio Garcia De
 Mendaza F03D 7/0248
 188/71.1
 2013/0133998 A1 * 5/2013 Maronati F16D 65/123
 188/218 XL
 2013/0327602 A1 * 12/2013 Barber B22C 9/02
 188/218 XL
 2014/0158486 A1 * 6/2014 Schorn et al. F16D 65/12
 188/218 XL
 2016/0102564 A1 * 4/2016 Tanaka F01D 5/26
 416/241 R
 2016/0290423 A1 * 10/2016 Tironi F16D 65/12

OTHER PUBLICATIONS

EBC Sport Rotors—GD7519, image post date May 12, 2015, site visited Jun. 23, 2018, (online), <<https://www.autoanything.com/brakes/77A3068A3761468.aspx>>.*
 Yantai Kornail Autoparts Drill and Slot Brake Disc Rotor, image post date 1999, site visited Jun. 22, 2018, (online), <<https://www.tradeindia.com/manufacturers/disc-brake-rotor.html/>>.*
 Racingbrake Up Rotor, image post date Aug. 3, 2007, site visited Jun. 19, 2018, (online), <<https://www.heeltoeauto.com/pitboard/?p=112>>.*
 Cross Drilled and Slotted Brake Rotors, image post date Jan. 1 2014, site visited Jan. 4, 2017, (online), <<http://web.archive.org/web/20140101225324/http://brakeperformance.com/>>.*
 Brake Discs in Delhi, image post date 1996, site visited Jan. 4, 2017, (online), <<https://dir.indiamart.com/delhi/brake-disc.html>>.*

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

Fig. 7