



US00D852698S

(12) **United States Design Patent** (10) **Patent No.:** **US D852,698 S**  
**Grewer** (45) **Date of Patent:** **\*\* Jul. 2, 2019**

(54) **REAR VALANCE FOR A VEHICLE**  
(71) Applicant: **Jaguar Land Rover Limited**, Whitley,  
Coventry (GB)  
(72) Inventor: **Dale Grewer**, Coventry (GB)  
(73) Assignee: **Jaguar Land Rover Limited**, Whitley,  
Coventry (GB)

(\*\*) Term: **15 Years**  
(21) Appl. No.: **29/637,676**  
(22) Filed: **Feb. 21, 2018**

(30) **Foreign Application Priority Data**  
Aug. 31, 2017 (EM) ..... 004174704  
(51) **LOC (11) Cl.** ..... **12-16**  
(52) **U.S. Cl.**  
USPC ..... **D12/196**  
(58) **Field of Classification Search**  
USPC ..... D12/86, 90, 91, 92, 163, 169, 171, 196,  
D12/216  
CPC ..... B60R 19/02; B60R 19/04; B60R 19/12;  
B60R 19/52; B60K 11/08; B62D 25/08  
See application file for complete search history.

(56) **References Cited**  
U.S. PATENT DOCUMENTS  
D698,708 S \* 2/2014 Rugar ..... D12/169  
D701,800 S \* 4/2014 Campbell ..... D12/169  
D712,322 S \* 9/2014 Kobayashi ..... D12/169  
D712,805 S \* 9/2014 Murkett ..... D12/169  
D744,915 S \* 12/2015 Curic ..... D12/169  
D751,003 S \* 3/2016 Rugar ..... D12/163  
D751,007 S \* 3/2016 Curic ..... D12/169  
D753,036 S \* 4/2016 Curic ..... D12/169  
D758,259 S \* 6/2016 Messale ..... D12/169  
D762,147 S \* 7/2016 Messale ..... D12/169  
D763,143 S \* 8/2016 Varga ..... D12/169  
D763,744 S \* 8/2016 Behmer ..... D12/169

D771,536 S \* 11/2016 Wolff ..... D12/169  
D775,038 S \* 12/2016 Frascella ..... D12/169  
D776,021 S \* 1/2017 Kapitonov ..... D12/169  
(Continued)

*Primary Examiner* — Susan Bennett Hattan  
*Assistant Examiner* — Suzanne E Tisdell  
(74) *Attorney, Agent, or Firm* — Wood Herron & Evans  
LLP


(57) **CLAIM**

The ornamental design for a rear valance for a vehicle, as shown and described.

**DESCRIPTION**

FIG. 1 is a front right perspective view of a rear valance for a vehicle according to the present invention.  
FIG. 2 is a front left perspective view of the rear valance shown in FIG. 1.  
FIG. 3 is a rear left perspective view thereof.  
FIG. 4 is a rear right perspective view thereof.  
FIG. 5 is a front view thereof.  
FIG. 6 is a rear view thereof.  
FIG. 7 is a right side view thereof.  
FIG. 8 is a left side view thereof.  
FIG. 9 is a top view thereof.  
FIG. 10 is a bottom view thereof; and,  
FIG. 11 is a front view of the rear valance shown in FIGS. 1-10, but with the rear valance mounted on a vehicle, and the rest of the vehicle shown in de-emphasized and half-tone portions so as to illustrate environmental structure. These portions form no part of the claimed invention. More particularly, in FIG. 11, the inventive rear valance is shown within the larger broken line, and the elements shown outside the larger broken line form no part of the claimed invention, but are instead included to show environmental aspects thereof. The smaller internal broken lines form no part of the invention, but are also included to show environmental structure.

**1 Claim, 11 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D781,586 S *	3/2017	Reinhart .....	D3/318
D781,587 S *	3/2017	Mangano .....	D3/318
D793,294 S *	8/2017	Lee .....	D12/169
D793,295 S *	8/2017	McCabe .....	D12/169
D797,456 S *	9/2017	Chen .....	D3/318
D797,616 S *	9/2017	Lee .....	D12/169
D798,201 S *	9/2017	Zavatski .....	D12/169
D800,621 S *	10/2017	Bucher .....	D12/196
D801,236 S *	10/2017	Kozub .....	D12/169
D803,738 S *	11/2017	Granlund .....	D12/169
D807,255 S *	1/2018	Piscitelli .....	D12/169

\* cited by examiner






FIG. 1






FIG. 2





FIG. 3





FIG. 4






FIG. 5






FIG. 6





FIG. 7






FIG. 8






FIG. 9






FIG. 10






FIG. 11