

US00D852922S

(12) **United States Design Patent**
Langner

(10) **Patent No.:** **US D852,922 S**

(45) **Date of Patent:** **** Jul. 2, 2019**

(54) **SLUG FOR LAUNCHING FROM A DISRUPTOR**

(71) Applicant: **F. Richard Langner**, Fountain Hills, AZ (US)

(72) Inventor: **F. Richard Langner**, Fountain Hills, AZ (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/617,474**

(22) Filed: **Sep. 14, 2017**

(51) **LOC (11) Cl.** **22-03**

(52) **U.S. Cl.**
USPC **D22/115**

(58) **Field of Classification Search**
USPC D22/115-116
CPC F42B 30/02; F42B 5/02; F42B 5/26; F42B 12/34; F42B 8/04; F42B 10/22; F42B 8/14; F41A 9/83; F41A 9/82; F41A 9/01; F41A 9/09; F41A 9/86

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,633,168	A	6/1927	Dickerman
1,833,645	A	11/1931	Hartz
D138,288	S	7/1944	La Clair
3,881,421	A	5/1975	Burczynski
4,245,557	A	1/1981	Knappworst
D259,806	S	7/1981	Kimura
4,550,662	A	11/1985	Burczynski
4,836,110	A	6/1989	Burczynski
5,103,736	A	4/1992	Sowash
5,116,224	A	5/1992	Kelsey, Jr.
D343,439	S	1/1994	Kuczewski
5,333,552	A	8/1994	Corzine
D363,335	S	10/1995	Dixon
D389,221	S	1/1998	Borg

6,155,536	A *	12/2000	Digman	B66F 1/08	254/100
D456,480	S	4/2002	Quinsa			
6,845,717	B1 *	1/2005	Sauvestre	F42B 12/34	102/510
D634,383	S	3/2011	Johnsrud			
8,915,191	B2	12/2014	Jones			
9,395,163	B2	7/2016	Fritz			
2006/0005730	A1	1/2006	Mank			
2008/0011428	A1 *	1/2008	Turner	B44C 7/04	156/574
2014/0230683	A1	8/2014	Burczynski			
2016/0015499	A1 *	1/2016	Scott	F42B 7/08	604/130

(Continued)

FOREIGN PATENT DOCUMENTS

RU	2537074	12/2014
WO	9402798	2/1994

Primary Examiner — Michael A. Pratt

(74) *Attorney, Agent, or Firm* — Letham Law Firm LLC; Lawrence Letham



(57) **CLAIM**

The ornamental design for a slug for launching from a disruptor, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the slug for launching from a disruptor showing the side and the top; FIG. 2 is another perspective view of the slug for launching from a disruptor showing the side and the bottom; FIG. 3 is a view of the side of the slug for launching from a disruptor, all sides having the same view because the slug is circular; FIG. 4 is a view of the top of the slug for launching from a disruptor; and, FIG. 5 is a view of the bottom of the slug for launching from a disruptor.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2016/0025469 A1* 1/2016 Nurminen F42B 12/34
102/508
2016/0290774 A1 10/2016 Langenbeck
2017/0167837 A1 6/2017 Goryluk
2017/0276463 A1* 9/2017 Tubb F42B 5/03
2018/0038673 A1* 2/2018 Fridlund F42B 33/00

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5