



US00D852956S

(12) **United States Design Patent**
Young

(10) **Patent No.:** **US D852,956 S**
(45) **Date of Patent:** **** Jul. 2, 2019**

- (54) **BLOOD SAMPLING DEVICE**
- (71) Applicant: **Stephen A. Young**, Albemarle, NC (US)
- (72) Inventor: **Stephen A. Young**, Albemarle, NC (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/654,921**
- (22) Filed: **Jun. 28, 2018**

D444,557 S *	7/2001	Levaughn	D24/146
D531,725 S *	11/2006	Loerwald	D24/146
7,303,726 B2 *	12/2007	McAllister	A61B 5/14532 422/68.1
8,545,693 B2 *	10/2013	McColl	G01N 27/3274 204/400
D707,826 S *	6/2014	Young	D24/169
D736,111 S *	8/2015	Klein	D10/78
D757,273 S *	5/2016	Nelson	D10/81
D783,170 S *	4/2017	Carreon	D24/167
D788,061 S *	5/2017	Siminoff	D10/118.2
D788,603 S *	6/2017	Liu	D10/102
D789,820 S *	6/2017	Siminoff	D10/118.2
D798,177 S *	9/2017	Siminoff	D10/118.2
D800,313 S *	10/2017	Chang	D24/167
D812,229 S *	3/2018	Al-Siddiq	D24/167
D824,517 S *	7/2018	Young	D24/146

Related U.S. Application Data

- (62) Division of application No. 29/591,328, filed on Jan. 19, 2017, now Pat. No. Des. 824,517.
- (51) **LOC (11) Cl.** **24-02**
- (52) **U.S. Cl.**
USPC **D24/146**
- (58) **Field of Classification Search**
USPC D24/112-114, 117-119, 127, 130, 133, D24/186, 104, 165, 167, 169; 600/309, 600/316, 319, 322, 368, 583; 436/46, 50; 422/61, 68.1; D21/385, 386, 388, 403, D21/404; D11/121, 122, 123, 124, 132, D11/133; D10/46, 104.1, 106.1, 106.5, D10/106.6, 116.1, 118, 118.1, 118.2, D10/119.1, 120, 121, 124, 126; D13/171
CPC .. A61M 2005/14268; A61M 2005/341; A61M 2009/045; A61M 5/1413; A61M 5/14244; A61M 5/14248; A61M 5/165; A61M 5/36; A61M 5/38; A61B 5/150022; A61B 5/14532; A61B 5/157
See application file for complete search history.

(Continued)

Primary Examiner — Cathron C Brooks
Assistant Examiner — Samantha Q Lawrence
 (74) *Attorney, Agent, or Firm* — Ashley Law Firm P.C.;
 Stephen S. Ashley, Jr.

(57) **CLAIM**

I claim the ornamental design for a blood sampling device, as shown and described.


DESCRIPTION

FIG. 1 is a perspective view of a blood sampling device according to the invention;
 FIG. 2 is a left side view of the device of FIG. 1;
 FIG. 3 is an inverted right side view of the device of FIG. 1;
 FIG. 4 is a front elevation of the device of FIG. 1;
 FIG. 5 is a top plan view of the device of FIG. 1;
 FIG. 6 is a rear elevation of the device of FIG. 1; and,
 FIG. 7 is a bottom plan view of the device of FIG. 1.
 The broken lines in the drawings illustrate portions of the blood sampling device that form no part of the claimed design.

(56) **References Cited**
 U.S. PATENT DOCUMENTS

D318,695 S *	7/1991	Rosa	D21/405
D339,760 S *	9/1993	Lucero	D10/118

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D825,356 S *	8/2018	Yu	D10/70
D831,580 S *	10/2018	Amano	D13/158
D835,589 S *	12/2018	Zhang	D13/171
D837,079 S *	1/2019	Mansen	D10/106.1
2009/0237262 A1 *	9/2009	Smith	A61B 5/14532 340/635

* cited by examiner




FIG. 1



FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7