



US00D853358S

(12) **United States Design Patent**
Damboulev et al.

(10) **Patent No.:** **US D853,358 S**
(45) **Date of Patent:** **** *Jul. 9, 2019**

- (54) **PAIR OF EARBUDS**
- (71) Applicant: **KAY Technologies, LLC**, Culver City, CA (US)
- (72) Inventors: **Kristian Damboulev**, West Hollywood, CA (US); **Joaquin Nicholas Herlein**, Buenos Aires (AR)
- (73) Assignee: **KAY Technologies, LLC**, Culver City, CA (US)
- (*) Notice: This patent is subject to a terminal disclaimer.
- (**) Term: **15 Years**
- (21) Appl. No.: **29/602,271**
- (22) Filed: **Apr. 28, 2017**
- (51) **LOC (11) Cl.** **14-01**
- (52) **U.S. Cl.**
USPC **D14/223**
- (58) **Field of Classification Search**
USPC D14/223, 205; 181/129, 130, 135; 379/430, 431; 381/380, 381; 455/90.3, 455/575.1, 569.1
CPC H04R 1/10; H04R 25/00; H04R 25/02; H04R 1/1016
See application file for complete search history.

- (56) **References Cited**
U.S. PATENT DOCUMENTS
D101,218 S * 9/1936 Gurrieri D21/756
D179,150 S * 11/1956 Norris D14/192
3,209,080 A * 9/1965 Guttner H04R 25/402
381/323
4,335,281 A * 6/1982 Scott H04M 1/05
379/430
D300,551 S * 4/1989 Andraesen D22/142
D352,441 S * 11/1994 Oury D8/303

- D375,959 S * 11/1996 Davis D14/206
- D395,653 S * 6/1998 Read D14/142
- 6,101,260 A * 8/2000 Jensen H04M 1/05
379/430
- D460,436 S * 7/2002 Bjorklund D14/205
- D468,299 S * 1/2003 Boesen D14/223
- D469,081 S * 1/2003 Perszyk D14/205
- D469,422 S * 1/2003 Nguyen D14/205
- D470,121 S * 2/2003 Nguyen D14/205
- D490,398 S * 5/2004 Gwee D14/205
- D501,196 S * 1/2005 Dyer D14/205
- D504,672 S * 5/2005 Hirano D14/205
- D506,462 S * 6/2005 Han D14/205
- D510,085 S * 9/2005 Suzuki D14/223
- D515,069 S * 2/2006 Naito D14/205
- D543,968 S * 6/2007 Wong D14/205
- D593,075 S * 5/2009 Williams D14/223

(Continued)

Primary Examiner — Paula Allen Greene
(74) *Attorney, Agent, or Firm* — Proven Patents Law Firm; Gregg A. Koch


(57) **CLAIM**

An ornamental design for a pair of earbuds, as shown and described.

DESCRIPTION

FIG. 1 is a first perspective view of a pair of earbuds showing our new design;
FIG. 2 is a second perspective view;
FIG. 3 is a first side view shown in FIG. 1;
FIG. 4 is a second side view in FIG. 1, the second side being opposite the first side shown in FIG. 3;
FIG. 5 is a top view shown in FIG. 1;
FIG. 6 is a bottom view shown in FIG. 1;
FIG. 7 is a front view shown in FIG. 1; and,
FIG. 8 is a rear view shown in FIG. 1.
The broken lines depict environmental structure and form no part of the claimed design. The shade lines in the Figures show surface contour and not surface ornamentation.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D593,716 S *	6/2009	Strauss	D30/156
D624,056 S *	9/2010	Kolton	D14/223
D626,117 S *	10/2010	Lowry	D14/223
D635,678 S *	4/2011	Laperle	D24/174
D647,081 S *	10/2011	Kwon	D14/223
D718,283 S	11/2014	Thompson et al.	
D739,851 S	9/2015	Donohue, II et al.	
D801,301 S *	10/2017	Damboulev	D14/205
D807,322 S *	1/2018	Damboulev	D14/205
D809,486 S *	2/2018	Arimoto	D14/223
D809,487 S *	2/2018	Lee	D14/223
2009/0154739 A1	6/2009	Zellner	

* cited by examiner




FIG. 1




FIG. 2




FIG. 4




FIG. 3




FIG. 5




FIG. 6

FIG. 7




FIG. 8

