US00D853362S

(12) United States Design Patent

Masin et al.

(10) Patent No.: US D853,362 S
(45) Date of Patent: ** Jul. 9, 2019

(54) **RFID READER FOR RFID TAGS**

(71) Applicant: **Trovan, Ltd.**, Isle of Man (GB)

(72) Inventors: **Barbara P. Masin**, Santa Barbara, CA (US); **Simon Keys**, Channel Islands (GB); **Nick A. J. Smith**, Channel Islands (GB)

(73) Assignee: **Trovan, Ltd.**, Isle of Man (GB)

(**) Term: **15 Years**

(21) Appl. No.: **29/597,836**

(22) Filed: **Mar. 21, 2017**

(51) **LOC (11) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/230**; D14/420

(58) **Field of Classification Search**
USPC .... D14/137, 138 R, 138 AA, 148, 155, 167, D14/168, 230–238, 240, 242, 265, 299, D14/343, 358, 204, 209, 216, 218, 221, D14/385, 420; D10/106.9, 106.91, D10/106.92, 106.93, 106.94, 106.95
CPC H01Q 7/00; H01Q 13/10; H01Q 9/285; H01Q 19/30; H01Q 19/12; H01Q 1/38; H01Q 1/36; H01Q 1/0475; H01Q 1/034; H05K 11/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D274,048	S	*	5/1984	Wong	D10/106.1
D324,048	S	*	2/1992	Tanaka	D14/217
D327,690	S	*	7/1992	Ogawa	D14/230
D346,170	S	*	4/1994	Tang	D14/230
D372,249	S	*	7/1996	Pinchuk	D14/299
D376,800	S	*	12/1996	Shudo	D14/195
D396,852	S	*	8/1998	Chao	D14/358
D427,996	S	*	7/2000	Heiligenstein	343/878
D445,518	S	*	7/2001	Warden	D26/38
D453,329	S	*	2/2002	Muramatsu	D14/230
D463,404	S	*	9/2002	Sadatsuki	D14/218
D465,484	S	*	11/2002	Christianson	D14/299
D478,057	S	*	8/2003	Cohen	D14/155
D561,411	S	*	2/2008	Pipenur	D30/155
D585,727	S	*	2/2009	Kelleghan	D8/356

(Continued)

OTHER PUBLICATIONS

"Halo Scanner Operation," Halo Microchip Scanner pictured therein, YouTube online, post date Jul. 19, 2013, <URL: https://www.youtube.com/watch?v=6ASbx-eAGs8>, retrieved Jun. 21, 2018.*

(Continued)

Primary Examiner — Jeffrey D Asch
Assistant Examiner — Rebekah A Caruso
(74) *Attorney, Agent, or Firm* — Egan Peterman Enders Huston

(57) **CLAIM**

The ornamental design for an RFID reader for RFID tags, as shown and described.

DESCRIPTION

FIG. **1** is a top, rear, and right side perspective view of our new design.
FIG. **2** is a bottom, rear, and left side perspective view thereof.
FIG. **3** is a top plan view thereof.
FIG. **4** is a bottom plan view thereof.
FIG. **5** is a top, rear, and right side perspective view thereof at a slightly greater angle than FIG. **1**; and,
FIG. **6** is a bottom, rear, and left side perspective view thereof at a slightly greater angle than FIG. **2**.
The broken lines within FIGS. **1-6** showing an RFID (radio frequency identifier) reader for RFID tags is for the purpose of illustrating portions of the RFID reader and form no part of the claimed design.

1 Claim, 2 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D591,162	S	*	4/2009	Slabaugh	D9/414
D626,963	S	*	11/2010	Kim	D14/420
D654,245	S	*	2/2012	School	D99/5
D699,727	S		2/2014	Dean	
D723,564	S		3/2015	Lim	
D751,438	S		3/2016	Lee et al.	
D751,538	S	*	3/2016	Koehler	D14/240

OTHER PUBLICATIONS

Halo Pet Microchip Reader Scanner, amazon online, first review posted May 24, 2016, <URL: https://www.amazon.com/Microchip-Reader-Scanner-Purple-MICRO-ID/dp/B017DZ1H7O >, retrieved Jun. 21, 2018.*

* cited by examiner



FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6