



US00D853368S

(12) **United States Design Patent**
Uchida et al.

(10) **Patent No.:** **US D853,368 S**
(45) **Date of Patent:** **** Jul. 9, 2019**

(54) **HUB UNIT**

(71) Applicant: **Panasonic Intellectual Property Management Co., Ltd.**, Osaka-shi, Osaka (JP)

(72) Inventors: **Ryota Uchida**, Tokyo (JP); **Naoki Fudetani**, Kyoto (JP); **Shinichi Takiguchi**, Osaka (JP)

(73) Assignee: **Panasonic Intellectual Property Management Co., Ltd.**, Osaka (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/642,578**

(22) Filed: **Mar. 30, 2018**

(51) **LOC (11) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/240; D14/358**

(58) **Field of Classification Search**
USPC D14/240, 242, 358, 125, 129, 130, 140, D14/142, 155, 167, 168, 172, 188, 195, D14/203.1, 203.6, 204, 205, 216, 299, D14/496, 300, 302, 314, 348, 351, 356, D14/357, 140.1, 140.2; D13/103, 107, D13/108, 123, 152, 158, 162, 162.1, 184, D13/199; D10/104.1, 106.1, 106.9, D10/106.95, 64, 46, 49
CPC ... H04W 88/08; H04W 88/085; H04W 88/02; H01Q 1/02; H01Q 1/2291; H01Q 1/246; H04B 1/38; H04B 1/06; H04B 1/08
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D236,989 S * 9/1975 Holman D14/214
D265,299 S * 7/1982 Jaretsky D10/106.1
D286,287 S * 10/1986 Toth D14/191

(Continued)

OTHER PUBLICATIONS

Door Intercom Station for Panasonic Phone Systems. smarthome.com.(online) 2 pgs. Available for purchase as early as Feb. 29, 2012 (see review). [Retrieved on Feb. 12, 2019] <https://www.smarthome.com/door-intercom-station-for-panasonic-phone-systems.html#reviews>.*

(Continued)

Primary Examiner — Susan Bennett Hattan

Assistant Examiner — Marie D. Fast Horse

(74) *Attorney, Agent, or Firm* — Brinks Gilson & Lione

(57) **CLAIM**



We claim the ornamental design for a hub unit, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a hub unit of a first embodiment of the present invention;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof;
FIG. 8 is a cross-sectional view taken along line 8-8 in FIG. 2;
FIG. 9 is a perspective view of a hub unit of a second embodiment of the present invention;
FIG. 10 is a front view thereof;
FIG. 11 is a rear view thereof;
FIG. 12 is a left side view thereof;
FIG. 13 is a right side view thereof;
FIG. 14 is a top view thereof;
FIG. 15 is a bottom view thereof; and,
FIG. 16 is a cross-sectional view taken along line 16-16 in FIG. 10.

The broken lines depict parts of the hub unit that represent unclaimed subject matter and form no part of the claimed design.

1 Claim, 16 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D318,655 S * 7/1991 Bowker D14/356
 D318,656 S * 7/1991 Bowker D14/356
 D320,389 S * 10/1991 Bowker D14/356
 D324,046 S * 2/1992 Yoneyama D14/240
 D328,293 S * 7/1992 Mak D14/137
 D347,004 S * 5/1994 Beaumont D14/137
 D348,254 S * 6/1994 Ratzlaff D14/348
 D348,438 S * 7/1994 Ratzlaff D14/348
 D349,103 S * 7/1994 Ratzlaff D14/348
 D355,196 S * 2/1995 Nakamura D13/184
 D385,787 S * 11/1997 Takano D9/423
 D500,497 S * 1/2005 Yu D14/240
 D503,745 S * 4/2005 Yasuoka D20/10
 D506,510 S * 6/2005 Yasuoka D20/10
 D522,531 S * 6/2006 Solomon D14/188
 D580,933 S * 11/2008 Ju D14/240
 D599,344 S * 9/2009 Wang D14/356
 D606,986 S * 12/2009 de Jong D14/250
 D629,399 S * 12/2010 Camarena D14/356
 D641,754 S * 7/2011 Camarena D14/356
 D643,427 S * 8/2011 McGoldrick D14/356
 D669,059 S * 10/2012 Huang D14/240
 D669,455 S * 10/2012 Huang D14/240
 D671,116 S * 11/2012 Phillips D14/358
 D677,223 S * 3/2013 Cho D13/110
 D677,259 S * 3/2013 van der Lande D14/433
 D682,806 S * 5/2013 Smith D14/155
 D691,656 S * 10/2013 Merrill D19/60
 D693,798 S * 11/2013 Chuang D14/240
 D705,202 S * 5/2014 Silva D14/240
 D718,288 S * 11/2014 Wang D14/240

D718,752 S * 12/2014 Wang D14/240
 D724,036 S * 3/2015 Cha D13/162
 D740,262 S * 10/2015 Hasegawa D14/240
 D777,126 S * 1/2017 Odryna D14/125
 D777,695 S * 1/2017 Odryna D14/125
 D780,137 S 2/2017 Tallqvist
 D780,605 S 3/2017 Chen et al.
 D782,476 S * 3/2017 Yamazaki D14/240
 D785,579 S * 5/2017 McMiller D14/125
 D785,632 S * 5/2017 VanDuyn D14/433
 D796,461 S * 9/2017 Ruppert D14/125
 D809,493 S * 2/2018 Konotopskyi D14/242
 D810,709 S * 2/2018 Jou D14/125
 D814,434 S * 4/2018 Li D14/125
 D815,077 S * 4/2018 Sibley D14/242
 D822,113 S * 7/2018 Deng D20/10
 D823,793 S * 7/2018 Xianxi D13/107
 D828,354 S * 9/2018 Chuang D14/433
 D828,817 S * 9/2018 Odryna D14/125
 D830,869 S * 10/2018 Siminoff D10/106.1
 D838,252 S * 1/2019 Shin D14/125
 D839,225 S * 1/2019 Hammarstedt D14/125
 D839,273 S * 1/2019 He D14/435.1

OTHER PUBLICATIONS

Modem repeater or sensor . (Design—©Questel) orbit.com.[online PDF] 13 pgs. Print Dates range Sep. 12, 2011 to Oct. 9, 2018. [Retrieved on Feb. 12, 2019] <https://sobjprd.questel.fr/export/QPTUJ214/pdf2/25ef75b6-86f0-405a-9b9c-e0a82f57d97d-180313.pdf>.*

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8



FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16

