



US00D853475S

(12) **United States Design Patent** (10) **Patent No.:** **US D853,475 S**
Kida et al. (45) **Date of Patent:** **** Jul. 9, 2019**

(54) **STAMP**

(71) Applicant: **SHACHIHATA INC.**, Nagoya-shi,
Aichi (JP)

(72) Inventors: **Masaki Kida**, Tokyo (JP); **Motohide
Imaizumi**, Tokyo (JP); **Takuya Koide**,
Nagoya (JP)

(73) Assignee: **Shachihata Inc.**, Nagoya-shi (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/593,620**

(22) Filed: **Feb. 10, 2017**

(30) **Foreign Application Priority Data**

Aug. 11, 2016 (JP) 2016-017271

(51) **LOC (11) Cl.** **19-02**

(52) **U.S. Cl.**
USPC **D18/15**

(58) **Field of Classification Search**
USPC D18/15, 16, 17, 18, 50; D19/65–68, 70,
D19/71
CPC . B41J 2/1752; B41J 3/36; B41J 29/023; B41J
2/17526; B41J 3/28; B41K 1/00; B41K
1/38; B41K 1/006; B41K 1/02; B41K
1/08; B41K 1/40; B41K 1/42; B41K
1/52; B41K 1/54; B41K 1/56; B41K
1/36; B23K 26/00; B23K 26/10; B41C
3/04; B41D 7/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D280,643 S * 9/1985 Ichikawa D18/15
D378,597 S * 3/1997 Harden 101/406
D413,619 S * 9/1999 Franks D18/15
D441,009 S * 4/2001 Hayashi D18/15
D507,593 S * 7/2005 Kida D18/15

7,024,994 B2 * 4/2006 Dour B41K 1/40
101/104
D595,340 S * 6/2009 Kida D18/15
D607,490 S * 1/2010 Shih D18/15
7,765,924 B2 * 8/2010 Suda B41K 3/06
101/111
D630,249 S * 1/2011 Nabetani D19/66
D679,317 S * 4/2013 Ono D18/15

(Continued)

FOREIGN PATENT DOCUMENTS

EP 3222434 A2 * 9/2017 B41K 1/22

OTHER PUBLICATIONS

Bossgoo. Link: <http://longstarstamp.bossgoo.com/productimage/self-inking-stamp-self-inking-stamp-date-stamp-dater-stamp-rubber-stamp-time-stamp-number-stamp-numbering-stamp-numberer-stamp-pre-ink-stamp-918812.html>. Visited Aug. 22, 2018. Numbering stamp, Beijing Longstar Stamp Co., Ltd. (Year: 2018).*

Primary Examiner — Susan Bennett Hattan

Assistant Examiner — Lauren D McVey

(74) *Attorney, Agent, or Firm* — Westerman, Hattori,
Daniels & Adrian, LLP

(57) **CLAIM**

The ornamental design for a stamp, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the stamp according to our novel design,

FIG. 2 is a rear perspective view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a right side elevation view thereof;


FIG. 6 is a left side elevational view thereof;

FIG. 7 is a top plan view thereof; and,

FIG. 8 is a bottom plan view thereof.

The broken lines depict portions of the article that form no part of the claimed design.

1 Claim, 3 Drawing Sheets



References Cited

2007/0031073	A1 *	2/2007	Kato	B42F 3/006 384/99
2007/0221671	A1 *	9/2007	Kobayashi	B65D 83/0011 220/8

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

