

US00D853541S

(12) **United States Design Patent** (10) **Patent No.:** **US D853,541 S**
Huan et al. (45) **Date of Patent:** **** Jul. 9, 2019**

(54) **HEAT EXCHANGER**

(71) Applicant: **Danfoss Micro Channel Heat Exchanger (Jiaxing) Co., Ltd.**, Zhejiang (CN)

(72) Inventors: **Jin Huan**, Zhejiang (CN); **Jin Junfeng**, Zhejiang (CN); **Lu Xiangxun**, Zhejiang (CN)

(73) Assignee: **DANFOSS MICRO CHANNEL HEAT EXCHANGER (JIAXING) CO., LTD.**, Zhejiang (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/637,665**

(22) Filed: **Feb. 21, 2018**

Related U.S. Application Data

(62) Division of application No. 29/588,656, filed on Dec. 22, 2016.

(30) **Foreign Application Priority Data**

Jul. 5, 2016 (CN) 2016 3 0303271

(51) **LOC (11) Cl.** **23-03**

(52) **U.S. Cl.**
USPC **D23/323**

(58) **Field of Classification Search**

USPC D23/323, 322, 324, 386, 325, 327, 354,
D23/330; D7/407; D13/179

CPC F28F 1/06; F28F 1/16; F28F 1/21; F28F
9/02; F28D 1/047; F28D 13/12; F28D
7/06; F28D 7/10; F28D 2001/0266; B21D
53/02; F28B 1/06

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,787,973 A * 8/1998 Kado F28F 9/182
165/153

5,910,167 A * 6/1999 Reinke F25B 39/028
165/174

D717,932 S 11/2014 Mross et al.

D787,033 S 5/2017 Huan et al.

2006/0131009 A1 * 6/2006 Nies F28D 1/05391
165/176

2006/0196052 A1 9/2006 Lesage

(Continued)

Primary Examiner — Karen S Acker

Assistant Examiner — Steven B Reinholdt, Jr.

(74) *Attorney, Agent, or Firm* — McCormick, Paulding & Huber LLP

(57) **CLAIM**

The ornamental design for a heat exchanger, substantially as shown and described.

DESCRIPTION

FIG. 1 is a front, left side and top perspective view of a heat exchanger comprising a new, original and ornamental design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof;

FIG. 8 is a front, left side and top perspective view of the heat exchanger in accordance with a second embodiment;

FIG. 9 is a front view thereof;

FIG. 10 is a rear view thereof;

FIG. 11 is a left side view thereof;



FIG. 12 is a right side view thereof;

FIG. 13 is a top view thereof; and,

FIG. 14 is a bottom view thereof.

The broken lines show portions of the heat exchanger that form no part of the claimed design.

1 Claim, 14 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2006/0196647	A1 *	9/2006	Mathur	F28D 1/0435 165/140
2008/0173434	A1 *	7/2008	Matter	F28D 1/0417 165/150
2009/0314475	A1 *	12/2009	Jeon	F28D 1/0391 165/109.1
2011/0139425	A1 *	6/2011	Beamer	F28D 1/0476 165/175
2011/0247791	A1 *	10/2011	Jiang	F28D 1/047 165/173
2012/0227944	A1 *	9/2012	Moisidis	F28D 1/047 165/172
2013/0199760	A1 *	8/2013	Kadle	F28F 1/128 165/152
2013/0292103	A1	11/2013	Eindhoven	
2014/0366571	A1 *	12/2014	Gao	F25B 39/02 62/498
2014/0374077	A1 *	12/2014	Lee	F28F 1/12 165/173
2015/0168071	A1 *	6/2015	Gao	B23P 15/26 165/151
2017/0160016	A1 *	6/2017	Lee	F28D 7/0066
2017/0299266	A1	10/2017	Eindhoven	
2018/0126822	A1 *	5/2018	Nishino	B60H 1/32
2018/0149432	A1 *	5/2018	Kono	F25B 39/00

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14