



US00D853617S

(12) **United States Design Patent** (10) **Patent No.:** **US D853,617 S**
Eberts et al. (45) **Date of Patent:** **** Jul. 9, 2019**

(54) **FLUSH WALL MOUNT LIGHT FIXTURE**

OTHER PUBLICATIONS

(71) Applicant: **Hunter Industries, Inc.**, San Marcos, CA (US)

Holm Lighting, Architectural & Landscape Lighting, Installation Notes for rNook-16, Hunter Industries, Inc., in 5 pages.

(72) Inventors: **Carl A. Eberts**, Solana Beach, CA (US); **Stephen A. Sharp**, San Diego, CA (US)

Primary Examiner — Angela J Lee

(74) *Attorney, Agent, or Firm* — Knobbe Martens Olson & Bear, LLP

(73) Assignee: **Hunter Industries, Inc.**, San Marcos, CA (US)

(57) **CLAIM**

The ornamental design for a flush wall mount light fixture, as shown and described.

(**) Term: **15 Years**

DESCRIPTION

(21) Appl. No.: **29/601,857**

(22) Filed: **Apr. 26, 2017**

(51) **LOC (11) Cl.** **26-05**

(52) **U.S. Cl.**
USPC **D26/74**

(58) **Field of Classification Search**
USPC D26/74, 72, 75, 76, 77, 78, 85, 88, 89, D26/118, 138, 141; 362/364, 365, 373, 362/145, 146, 147, 148, 150, 153, 153.1, 362/294, 296.01, 296.07, 296.08
See application file for complete search history.

FIG. 1 is a front, right, and top side perspective view of a flush wall mount light fixture embodying our new design; FIG. 2 is a front, bottom, and left side perspective view thereof;

FIG. 3 is a front side elevational view thereof; FIG. 4 is a back side elevational view thereof; FIG. 5 is a right side elevational view thereof; FIG. 6 is a left side elevational view thereof;

FIG. 7 is a top plan view thereof; and FIG. 8 is a bottom plan view thereof;

FIG. 9 is a front, right, and top side perspective view of a second embodiment of a flush wall mount light fixture embodying our new design;

FIG. 10 is a front, bottom, and left side perspective view thereof;

FIG. 11 is a front side elevational view thereof; FIG. 12 is a back side elevational view thereof;

FIG. 13 is a right side elevational view thereof; FIG. 14 is a left side elevational view thereof;

FIG. 15 is a top plan view thereof; and, FIG. 16 is a bottom plan view thereof.

Broken lines are used to illustrate features of the flush wall mount light fixture which form no part of the claimed design. Dot-dash lines are used to illustrate boundary lines and form no part of the claimed design.


(56) **References Cited**

U.S. PATENT DOCUMENTS

D352,564 S *	11/1994	Marischen	D26/26
D372,591 S *	8/1996	Brunner	D6/300
D376,436 S *	12/1996	Emmerling	D26/26
D379,453 S *	5/1997	Fabrizi	D13/156
D409,325 S *	5/1999	Holder	D26/74
D409,392 S *	5/1999	Walters, III	D6/300
D461,113 S *	8/2002	Aubert Capella	D8/353
D461,190 S *	8/2002	Bell	D14/448
D487,465 S *	3/2004	Korpai	D14/448
D506,876 S *	7/2005	Mohundro	D6/300
D532,206 S *	11/2006	Mohundro	D6/300

(Continued)

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D570,518 S *	6/2008	Haimov	D26/119
D581,086 S *	11/2008	Starck	D26/78
D606,228 S *	12/2009	Ward	D26/74
D611,641 S *	3/2010	Dworschak	D26/74
D636,525 S *	4/2011	Chan	D26/118
D664,699 S *	7/2012	Nakahira	D26/74
D698,969 S *	2/2014	Johns	D26/74
D711,036 S *	8/2014	Salomon	D26/74
D748,830 S *	2/2016	Gerardo	D26/28
D759,293 S *	6/2016	Salomon	D26/138
D770,661 S *	11/2016	Huang	D26/74
D777,968 S *	1/2017	Redfern	D26/74
D779,101 S *	2/2017	Redfern	D26/74

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13



FIG. 14




FIG. 15




FIG. 16