



US00D853669S

(12) **United States Design Patent** (10) **Patent No.:** **US D853,669 S**
Qiu et al. (45) **Date of Patent:** **** Jul. 9, 2019**

(54) **BLOWER**

(71) Applicant: **Nanjing Chervon Industry Co., Ltd.**,
Nanjing (CN)

(72) Inventors: **Xunzhuang Qiu**, Nanjing (CN); **Bowei Xu**, Nanjing (CN)

(73) Assignee: **Nanjing Chervon Industry Co., Ltd.**,
Nanjing (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/639,023**

(22) Filed: **Mar. 2, 2018**

(30) **Foreign Application Priority Data**

Sep. 8, 2017 (CN) 2017 3 0423642

(51) **LOC (11) Cl.** **15-05**

(52) **U.S. Cl.**
USPC **D32/15; D15/12**

(58) **Field of Classification Search**
USPC D15/11, 12; D12/2, 231, 340-343;
D32/15, 16, 17, 18, 21, 25, 1, 5, 12;
D23/383, 370, 213; 15/300.1, 344, 345,
15/405, 414-415.1
CPC A47L 5/14; A47L 9/32; F04B 35/04; F04B
17/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D304,510 S * 11/1989 Baker D32/15
D358,912 S * 5/1995 Baker D32/15
D368,341 S * 3/1996 Pink D32/15
D400,322 S * 10/1998 Webster D32/15
D416,360 S * 11/1999 Enkyo D32/15
D426,354 S * 6/2000 Ohi D32/15
D431,697 S * 10/2000 Hayakawa D32/15

D473,024 S * 4/2003 Griffin D32/15
D498,885 S * 11/2004 Robson D32/15
6,834,413 B2 * 12/2004 Sanders A47L 5/14
15/405
D526,750 S * 8/2006 Ito D32/15
D556,395 S * 11/2007 Martin D32/15
D558,939 S * 1/2008 Yuasa D32/15
D584,460 S * 1/2009 Sweeney D32/15
D584,461 S * 1/2009 Sweeney D32/15
D605,819 S * 12/2009 Tinius D32/15
D615,716 S * 5/2010 Tinius D32/15
7,735,188 B2 * 6/2010 Shaffer E01H 1/0809
15/405
D637,774 S * 5/2011 Li D32/15
D640,846 S * 6/2011 Tinius D32/15
D711,056 S * 8/2014 Crawley D15/12
D711,057 S * 8/2014 Crawley D15/12
D719,307 S * 12/2014 Carl D15/12
D729,999 S * 5/2015 Aoi D15/12
D735,960 S * 8/2015 Zhang D32/15
D741,917 S * 10/2015 Tinius D15/15

(Continued)

Primary Examiner — Mark A Goodwin

(74) *Attorney, Agent, or Firm* — Greenberg Traurig, LLP


(57) **CLAIM**

The ornamental design for a blower, as shown and described.

DESCRIPTION

FIG. 1 is a left side elevational view of a blower showing our new design;
FIG. 2 is a right side elevational view thereof;
FIG. 3 is a rear side elevational view thereof;
FIG. 4 is a front side elevational view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a top, rear perspective view thereof.
The broken lines in the drawings illustrate portions of the blower that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D742,603	S	*	11/2015	Tschopp		D15/12
D746,004	S	*	12/2015	Murray		D15/12
D748,876	S	*	2/2016	Carl		D15/12
D748,877	S	*	2/2016	Tirone		D15/12
D812,825	S	*	3/2018	Smith		D32/15
D834,270	S	*	11/2018	Naslund		D32/15
D834,271	S	*	11/2018	Naslund		D32/15
2008/0127448	A1	*	6/2008	Kremsler		A47L 5/14
						15/330
2008/0152487	A1	*	6/2008	Shaffer		F04D 25/084
						415/208.1
2012/0138717	A1	*	6/2012	Svoboda		E01H 1/0809
						241/56
2013/0239357	A1	*	9/2013	Hoffman		B65H 75/42
						15/323

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7