



US00D853702S

(12) **United States Design Patent** (10) **Patent No.:** **US D853,702 S**
Mokos et al. (45) **Date of Patent:** **** Jul. 16, 2019**

(54) **SHOE SOLE**

(71) Applicant: **Cole Haan LLC**, New York City, NY
(US)

(72) Inventors: **Jeffrey Mokos**, New York City, NY
(US); **Brett Brown**, New York City,
NY (US); **Matthew Chapdelaine**,
Manchester, NH (US); **Scott Patt**, New
York City, NY (US)

(73) Assignee: **COLE HAAN LLC**, New York, NY
(US)

(**) Term: **15 Years**

(21) Appl. No.: **29/632,344**

(22) Filed: **Jan. 7, 2018**

(51) **LOC (11) Cl.** **02-04**

(52) **U.S. Cl.**
USPC **D2/953; D2/947; D2/951; D2/957;**
D2/960

(58) **Field of Classification Search**

USPC D2/902, 906, 908, 916, 918, 925,
D2/946–962, 977; 36/3 B, 22 R, 24.5,
36/25 R, 28, 32 R, 34 R, 59 C, 67 A, 103
CPC A43B 13/00; A43B 13/02; A43B 13/023;
A43B 13/026; A43B 13/04; A43B 13/08;
A43B 13/10; A43B 13/12; A43B 13/14;
A43B 13/141; A43B 13/143; A43B
13/16; A43B 13/18; A43B 13/181; A43B
13/187; A43B 13/189; A43B 13/20; A43B
13/22; A43B 13/223; A43B 13/24; A43B
13/28; A43B 13/30; A43B 13/32; A43B
13/34; A43B 13/36

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D113,620 S * 3/1939 Cairns D2/955
D159,466 S * 8/1950 Baltzer D2/957

D195,542 S * 7/1963 Webster D2/957
D203,577 S * 2/1966 Weisburg 36/59 C
D326,179 S * 5/1992 Walker D2/954
5,237,760 A * 8/1993 Altman A43B 1/0036
36/103
D513,838 S * 1/2006 Birkenstock D2/916
D547,035 S * 7/2007 Belley D2/951
7,287,342 B2 * 10/2007 Keen A43B 3/22
36/50.1
D554,837 S * 11/2007 Andersen D2/951
D561,985 S * 2/2008 Andersen D2/957
D589,692 S * 4/2009 McClaskie D2/951
7,631,440 B2 * 12/2009 Keen A43B 1/14
36/50.1

(Continued)

Primary Examiner — T Chase Nelson

(74) *Attorney, Agent, or Firm* — Thompson Coburn LLP



(57) **CLAIM**

The ornamental design for a shoe sole, as shown and
described.

DESCRIPTION

FIG. 1 is a first perspective view of the shoe sole showing
our new design;
FIG. 2 is a second perspective view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a rear view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a left side view thereof;
FIG. 7 is a top view thereof;
FIG. 8 is a bottom view thereof; and,
FIG. 9 is a third perspective view thereof.
The broken lines immediately adjacent the shaded areas
represent the bounds of the claimed design while all other
broken lines are directed to environment and are for illus-
trative purposes only; the broken lines form no part of the
claimed design.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

7,658,018	B2 *	2/2010	Lin		A43B 17/08 36/3 B
D613,942	S *	4/2010	Shing		D3/232
D616,187	S *	5/2010	Moon		D2/951
D618,920	S *	7/2010	Wiwi		D5/58
D619,346	S *	7/2010	Moon		D2/951
D620,689	S *	8/2010	Weber		D2/902
D630,441	S *	1/2011	Wiwi		D5/59
D634,129	S *	3/2011	Gerlach		D5/57
D640,064	S *	6/2011	Horn		A44B 18/0011 D5/59
D640,451	S *	6/2011	Chang		D2/917
D765,373	S *	9/2016	Swierszczk		D2/951
D792,689	S *	7/2017	Mokos		D2/951
D792,690	S *	7/2017	Swierszczk		D2/951
D792,691	S *	7/2017	Mokos		D2/951
D795,546	S *	8/2017	Kinley		D2/951
D808,137	S *	1/2018	Shyllon		D2/953
D814,156	S *	4/2018	Mial		D2/957
D816,965	S *	5/2018	Christopherson		A43B 1/14 D2/960
D818,254	S *	5/2018	Christopherson		A43B 3/22 D2/960
2014/0223777	A1 *	8/2014	Whiteman		A43B 13/125 36/102
2017/0099907	A1 *	4/2017	Cin		A43B 23/0205

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9