



US00D853785S

(12) **United States Design Patent** (10) **Patent No.:** **US D853,785 S**
Young et al. (45) **Date of Patent:** **** Jul. 16, 2019**

(54) **THERMAL IMMERSION CIRCULATOR**

(71) Applicant: **ChefSteps, Inc.**, Seattle, WA (US)

(72) Inventors: **Chris Young**, Seattle, WA (US); **Tom Udd**, Sultan, WA (US); **Cameron Jue**, Seattle, WA (US); **Kevin Finke**, Everett, WA (US); **Emmett Barton**, Seattle, WA (US); **N. Tim Salazar**, Seattle, WA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/542,731**

(22) Filed: **Oct. 16, 2015**

(51) **LOC (11) Cl.** **07-99**

(52) **U.S. Cl.**
USPC **D7/402**

(58) **Field of Classification Search**
USPC D7/323, 362, 402, 213; D10/50;
D23/316
CPC A47J 27/004; A47J 27/10; A47J 27/62;
A47J 27/21058; A47J 36/00; A47J
36/165; A47J 36/32; A47J 37/0786; A47J
37/1257; A47J 37/1266; A47J 43/044;
B65B 29/08; B65B 31/02; B65B 31/047;
B65B 7/06; G01K 1/024; G01K 1/14;
G01K 7/00; G01K 7/02; G01K 7/16;
G05B 19/0426; G05B 19/048; H02J
7/025; H02J 7/027; H05B 3/68; H05B
3/80; H05B 6/062; H05B 6/1209
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,270,661 A * 9/1966 Juvan A47J 29/02
99/343
D651,034 S * 12/2011 Eades A47J 27/10
D7/323
D683,583 S * 6/2013 Hone D7/396.2

9,215,948 B2 * 12/2015 Fetterman A47J 27/10
9,687,104 B2 * 6/2017 Wu H05B 3/80
2011/0186283 A1 * 8/2011 Preston B01L 7/02
165/287
2015/0082996 A1 * 3/2015 Wu A47J 27/10
99/342
2015/0335192 A1 * 11/2015 Plazarte A47J 27/10
99/332
2015/0342390 A1 * 12/2015 Wu H05B 6/1209
426/523
2015/0342392 A1 * 12/2015 Wu H05B 3/68
99/331
2016/0128515 A1 * 5/2016 Edmonds A47J 43/044
426/231

(Continued)

FOREIGN PATENT DOCUMENTS

CN EU 003914084-0001 * 5/2017

Primary Examiner — Ian Simmons

Assistant Examiner — Samantha Q Lawrence

(74) *Attorney, Agent, or Firm* — Perkins Coie LLP


(57) **CLAIM**

The ornamental design for a thermal immersion circulator, as shown and described.

DESCRIPTION

FIG. 1 is a top left-front isometric view of a thermal immersion circulator showing our new design.
FIG. 2 is a top right-rear isometric view thereof.
FIG. 3 is a front elevational view thereof.
FIG. 4 is a left side elevational view thereof.
FIG. 5 is a right side elevational view thereof.
FIG. 6 is a rear elevational view thereof.
FIG. 7 is a top plan view thereof; and,
FIG. 8 is a bottom plan view thereof.
The broken lines are included for the purpose of illustrating portions of the thermal immersion circulator that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2016/0174748 A1* 6/2016 Baldwin A47J 27/10
426/231
2016/0209077 A1* 7/2016 Wu A47J 36/32
2017/0245673 A1* 8/2017 Peng A47J 27/10

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8