



US00D853789S

(12) **United States Design Patent**
Adams, Jr. et al.

(10) **Patent No.:** **US D853,789 S**
(45) **Date of Patent:** **** Jul. 16, 2019**

- (54) **CUP FOR FLUID CONTAINER**
- (71) Applicant: **Klean Kanteen, Inc.**, Chico, CA (US)
- (72) Inventors: **Richard John Adams, Jr.**, Bozeman, MT (US); **Joshua James Birkle**, Chico, CA (US)
- (73) Assignee: **KLEAN KANTEEN, INC.**, Chico, CA (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/628,383**
- (22) Filed: **Dec. 4, 2017**
- (51) **LOC (11) Cl.** **07-01**
- (52) **U.S. Cl.**
USPC **D7/509; D7/523**
- (58) **Field of Classification Search**
USPC D7/507, 509, 510, 511, 523, 528, 529, D7/530, 531, 397, 622, 533, 536, 500, D7/584, 608; D9/523, 552, 542, 569, D9/530, 531, 570, 453, 452, 444, 439, D9/434, 435, 500
CPC A47G 19/22; A47G 19/2272; B65D 1/265; B65D 47/066
See application file for complete search history.

- (56) **References Cited**
U.S. PATENT DOCUMENTS
3,208,631 A * 9/1965 Edwards B65D 1/265 206/519
4,027,779 A * 6/1977 De Long A47G 19/22 206/501
D254,446 S * 3/1980 Raitto D24/130
D259,183 S * 5/1981 Hirtle D9/450
D271,049 S * 10/1983 Du Cret 401/202
D288,766 S * 3/1987 Tardif D7/523
D386,410 S * 11/1997 Mahlmann D9/445
D388,281 S * 12/1997 Trombley D7/515

- D422,455 S * 4/2000 Kato D7/608
- D429,118 S * 8/2000 Hurlbut D7/608
- D454,282 S * 3/2002 Mano D7/608
- D481,316 S * 10/2003 Hook D9/435
- D533,032 S * 12/2006 Liu D7/608
- D537,882 S * 3/2007 McKnight D19/85
- 7,210,596 B1 * 5/2007 Ruccolo A47G 19/2272 220/23.87
- D587,533 S * 3/2009 Carreno D7/608
- D623,481 S * 9/2010 Moran D7/608
- D675,523 S * 2/2013 Bartz D9/443
- D676,748 S * 2/2013 Guillois D9/445
- D784,137 S * 4/2017 Cates D9/500
- D839,677 S * 2/2019 Seiders D7/523


(Continued)

Primary Examiner — Marianne N Pandozzi
Assistant Examiner — Jae Liang
(74) *Attorney, Agent, or Firm* — Alleman Hall Creasman & Tuttle LLP

(57) **CLAIM**
The ornamental design for a cup for fluid container, as shown and described.

DESCRIPTION
FIG. 1 is a front isometric view of a cup for fluid container showing our new design;
FIG. 2 is a rear isometric view thereof;
FIG. 3 is a front isometric view thereof with the cup in an upside down position;
FIG. 4 is an enlarged top plan view thereof;
FIG. 5 is an enlarged front elevational view thereof; the rear elevational view being a mirror image thereof;
FIG. 6 is an enlarged bottom plan view thereof;
FIG. 7 is a sectional view of the cup for fluid container of FIG. 1, taken along the section line and in the direction indicated in FIG. 6; and,
FIG. 8 is a sectional view of the cup for fluid container of FIG. 1, taken along the section line and in the direction indicated in FIG. 6.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2010/0108695 A1* 5/2010 Zhang B65D 1/265
220/592.26
2013/0175278 A1* 7/2013 Kah, Jr. B65D 81/3869
220/592.2
2015/0359365 A1* 12/2015 Feeley A47G 19/2272
220/713

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8