



US00D853821S

(12) **United States Design Patent**
Meyer et al.

(10) **Patent No.:** **US D853,821 S**

(45) **Date of Patent:** **** *Jul. 16, 2019**

(54) **HANDLE**

(71) Applicants: **Ronald G. Meyer**, Leawood, KS (US);
John L Rudder, Leavenworth, KS (US)

(72) Inventors: **Ronald G. Meyer**, Leawood, KS (US);
John L Rudder, Leavenworth, KS (US)

(73) Assignee: **Kraft Tool Company**, Shawnee, KS
(US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **15 Years**

(21) Appl. No.: **29/571,223**

(22) Filed: **Jul. 15, 2016**

(51) **LOC (11) Cl.** **08-06**

(52) **U.S. Cl.**
USPC **D8/303**

(58) **Field of Classification Search**

USPC D8/107, 300, 303, 307; D15/142;
D7/393, 395; 16/110.1, 421, 429, 430,
16/431; 81/177.1, 177.85, 489;
74/473.35, 489, 523, 543, 551.9, 553, 557
CPC Y10T 16/44; Y10T 74/20612; Y10T
74/20287; Y10T 74/20732; Y10T
74/20828; Y10T 16/466; Y10T 74/20864;
Y10T 16/469; Y10T 74/20822; Y10T
16/4713; Y10T 74/20396; B25B 23/16;
B25G 1/102; B25G 1/105; B25G 1/10;
B25G 1/00; B25G 1/063; B25G 1/005;
B25G 1/01; B25G 1/043; B25G 1/085

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D130,814 S 12/1941 Comiskey et al.
2,276,725 A * 3/1942 Huffman D06F 75/34
16/431

D375,036 S * 10/1996 David D8/303
D390,085 S 2/1998 Franks
5,823,069 A * 10/1998 Roark B62K 21/26
16/DIG. 19
6,170,362 B1 1/2001 Chen
D439,129 S 3/2001 Chen
6,220,128 B1 4/2001 Hu
6,226,836 B1 5/2001 Yasui
6,247,204 B1 6/2001 Hamby
6,336,255 B1 1/2002 Gallup
6,516,496 B2 2/2003 Ekron
6,615,692 B2 9/2003 Hu
D584,126 S 1/2009 Meyer
7,770,262 B2 * 8/2010 Schultz B25F 5/006
16/110.1
D623,921 S 9/2010 Chiu
D625,572 S 10/2010 Hoertnagl

(Continued)

Primary Examiner — Lauren R Calve

(74) *Attorney, Agent, or Firm* — Erickson Kernell IP,
LLC; John C. McMahon


(57) **CLAIM**

The ornamental design for a handle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a handle in accordance with the invention;
FIG. 2 is a side elevational view of the handle an opposite side elevational view being a mirror image thereof;
FIG. 3 is a rear elevational view of the handle;
FIG. 4 is a bottom plan view of the handle;
FIG. 5 is a front elevational view of the handle; and,
FIG. 6 is a top plan view of the handle.
The broken lines shown represent subject matter and form no part of the claimed design.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D633,363	S	3/2011	Quinlan	
8,046,876	B2	11/2011	Pasquini	
8,220,360	B2	7/2012	Li	
D691,446	S *	10/2013	Haythornthwaite D8/107
D699,543	S *	2/2014	Haythornthwaite D8/107
D735,550	S *	8/2015	Seeds D8/80
2005/0015934	A1	1/2005	Hu	
2008/0173126	A1 *	7/2008	Madden B62J 33/00 74/551.9

* cited by examiner




Fig. 2.





Fig. 3.




Fig. 4.

Fig. 5.




Fig. 6.

