



US00D853953S

(12) **United States Design Patent** (10) **Patent No.:** **US D853,953 S**
Kamada (45) **Date of Patent:** **** Jul. 16, 2019**

(54) **TIRE SIDEWALL**
(71) Applicant: **BRIDGESTONE CORPORATION,**
Tokyo (JP)
(72) Inventor: **Shiho Kamada,** Tokyo (JP)
(73) Assignee: **BRIDGESTONE CORPORATION,**
Tokyo (JP)
(**) Term: **15 Years**
(21) Appl. No.: **29/644,795**
(22) Filed: **Apr. 20, 2018**

D575,222 S * 8/2008 Fujita D12/605
D585,017 S * 1/2009 Shondel D12/605
D588,530 S * 3/2009 Shondel D12/605
D588,533 S * 3/2009 Shondel D12/605
D596,116 S * 7/2009 Fujita D12/605
D611,403 S * 3/2010 Kuwano D12/605
D627,714 S * 11/2010 Miyazaki D12/605
D640,188 S * 6/2011 Strader D12/605
D662,466 S * 6/2012 Takano D12/605
D680,490 S * 4/2013 Iwabuchi D12/605
D735,126 S * 7/2015 Rittweger D12/605
D791,693 S * 7/2017 Iwabuchi D12/605
D800,643 S * 10/2017 Scheifele D12/605
D803,149 S * 11/2017 Ishikawa D12/605
D806,643 S * 1/2018 Yasunaga D12/605
D808,333 S * 1/2018 Iwabuchi D12/605

(Continued)

(30) **Foreign Application Priority Data**

Oct. 27, 2017 (JP) 2017-023935

(51) **LOC (11) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/605**

(58) **Field of Classification Search**
USPC D12/604, 605
CPC B60C 13/00; B60C 1/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D403,634 S * 1/1999 Ratliff, Jr. D12/605
D449,576 S * 10/2001 Kajikawa D12/605
D450,034 S * 11/2001 Kajikawa D12/605
D452,203 S * 12/2001 Kajikawa D12/605
D475,345 S * 6/2003 Endo D12/605
D542,218 S * 5/2007 Maxwell D12/605
D542,219 S * 5/2007 Shondel D12/605
D549,166 S * 8/2007 Lee D12/605
D554,577 S * 11/2007 Miyazaki D12/605
D565,502 S * 4/2008 Miyazaki D12/605
D569,335 S * 5/2008 Lee D12/605
D570,768 S * 6/2008 Takahashi D12/605

Primary Examiner — Michelle E. Wilson

Assistant Examiner — Clese Moore, Jr.

(74) *Attorney, Agent, or Firm* — Sughrue Mion, PLLC

(57) **CLAIM**

The ornamental design for a tire sidewall, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a tire sidewall showing my new design;

FIG. 2 is a top view thereof;

FIG. 3 is a right side view thereof;

FIG. 4 is a left side view thereof;


FIG. 5 is a rear view thereof;

FIG. 6 is a bottom view thereof;

FIG. 7 is an end view taken along line 7-7 in FIG. 1; and, FIG. 8 is a fragmentary enlarged view taken along line 8-8 in FIG. 7.

Broken lines in the drawings are intended to show portions of the tire that are not being claimed, and thus form no part of the claimed invention.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D810,674 S	*	2/2018	Itoi	D12/605
D813,799 S	*	3/2018	Maxwell	D12/605
D814,394 S	*	4/2018	Wuescher	D12/605

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7





FIG. 8

